SPRING & SUMMER

1946





87 KING ST.

WINNIPEG MAN.

HERCULES

High test

THE HOUSE THAT
SELLS FOR LESS"



PARAFFIN BASE OIL — GUARANTEED TO GIVE SATISFACTION!

IN ANY MAKE OF OLDER TYPE TRACTORS AND CARS

We Have Been Selling This Oil for the Past Few Years and Have Gained Hundreds of Satisfied Customers in Manitoba, Saskatchewan and Alberta.

S.A.E. 20 AND 30 45-Gal Drum, Per Gallon 25-Gal. Drum, Per Gallon 121/2-Gal. Drums. 49C

Per Gallon

S.A.E. 40 45-Gal, Drum, Per Gallon

121/2-Gal. Drum,

25-Gal. Drum. Per Gallon Per Gallon S.A.E. 50

45-Gal. Drum, 49c Per Gallon 25-Gal. Drum, 50c

Per Gallon 121/2-Gal. Drum, 52c Per Gallon

S.A.E. 60

45-Gal. Drum, 51c Per Gallon 25-Gal. Drum, **52e**

Per Gallon ... 121/2-Gal. Drum,

54c Per Gallon

RETURNABLE AT PRICES CHARGED Extra Charge for Oil Drums \$5.00, 1/2 Drums \$4.00, 1/4 Drums \$3.00 NOTE - WE WILL PREPAY FREIGHT ON EMPTY DRUMS RETURNED TO US

> TUBILEE BRAND

LUBRICANTS



25-LB. TIN

\$2.19

Castor Machine Oil

MEDIUM OR HEAVY

25-Gal. Drum 45-gal. Drum Gallon 121/2-Gal. Drum 5-Gal, Drum

Cream Separator Oil

Per Single Gal. Per 5-Gal. Can 65C

CUP GREASE, 25-lb. tin. 10-lb. tin

NOS. 90 TO 250 Per 5-Gallon Can 25-Gallon Drum PER 1212-Gallon Drum 55¢ GAL. GAL.

Transmission and Differential

LUBRICANTS

25-lb. tin .

Graphite Harvester Oil

Per 5-Gallon Can. In 121/2-Gallon Drum, Per Gallon

25-LB. TIN

\$1.10

Steam Cylinder Oil

THRESHERS

121/2 Gal. Drum 25-Gal. Drum Gallon Gallon Per 5-Gallon

HIGH-TEST

25-Gal. Drum 121/2-Gal. Drum Gallon Gallon Per 5-Gallon Can

Blue Black Harness Oil PER GALLON 65c



It can be used with complete satisfaction in any make of truck or car. "Hercules" Oil is refined by one of the leading oil refineries in Western Canada. We call this oil "Hercules" for we are not permitted by the refinery to use their widely advertised name and sell at this EXCEPTIONALLY LOW PRICE.

WHY PAY MORE FOR YOUR

Tractor Oils and Greases

BUY FROM US AND SAVE

WE HAVE HUNDREDS OF SATISFIED CUSTOMERS

"HERCULES" HIGH-TEST TRACTOR OIL 100% PURE PARAFFIN BASE

S.A.E. 20 and 30

45-Gal. Drum, Per Gal. 53c

25-Gal. Drum,
Per Gallon

12½-Gal Drum,

Per Gallon

57c

S.A.E. 40

45-Gal. Drum, Per Gallon 56c 25-Gal. Drum, Per Gallon

121/2-Gal. Drum,

Per Gallon

580

S.A.E. 50

45-Gal. Drum.
Per Gallon

56C
25-Gal. Drum.
Per Gallon

58C

12½-Gal. Drum. 60c

S.A.E. 60

45-Gal. Drum,
Per Gallon

25-Gal. Drum,
Per Gallon

12½-Gal. Drum,
Per Gallon

62c

"HERCULES" HIGH-TEST MOTOR OIL 100% PURE PARAFFIN BASE

S.A.E. 20 AND 30 45-Gal Drum, Gallon 53¢ 25-Gal. Drum, Gallon 55¢

S.A.E. 50
45-Gal. Drum, Gallon ______56
25-Gal. Drum, Gallon _____56

12½-Gal. Drum, Gallon 57¢ 12½-Gal. Drum, Gallon 58¢ 12½-Gal. Drum, Gallon 60¢ EXTRA CHARGE FOR DRUMS \$5.00, ½ DRUMS \$4.00, ¼ DRUMS \$3.00 . . . Returnable at Prices Charged

NOTE - WE WILL PREPAY FREIGHT ON EMPTY DRUMS RETURNED TO US

FOR EXTRA POWER! FOR LONGER SERVICE! USE



NOTE:

Due to "War" conditions we are only allowed to sell 17 plate batteries—in group 2A. In group 2F-17 plate battery.

DM6—Group 2A—Standard 17-Plate Battery, each

This battery fits the following cars: Ford 1933-1940, Hudson 1935-1941, 6 cylinder Chevrolet 1937-1941, Oldsmobile 1934-1935, 6 cylinder.

DM8—Group 2F

17-Plate Battery, each

longer.

This battery fits the following cars: Lincoln 1941, Ford 1941, all models, Mercury 1941, all models.

DM7-Group 2A-Extra Heavy Duty

17-Plate Battery, each

This battery fits the following cars:

Chevrolet 1937-1939, all models, Hudson 1935-1941, 6 cylinder, Ford 1933-1940, Oldsmobile 1934-1935, 6 cylinder.

DM9-Group 2B-Extra Heavy Duty


17-Plate Battery, each

19-Plate Battery,

\$16.75

This battery fits the following cars:

Buick 1933-1941 all models, Oldsmobile 1938-1941, all 6 and 8 cylinders, Pontiac, 1939-1941, 8 cylinder.



2-VOLT WET "A" BATTERY

NR10 - For use with 2-volt battery radios. Hard rubber case with metal Screw top terminals. Will give 250 hours service after each charging.

SPECIALI EACH _

The "North West" BATTERY

Genuine Hard Rubber Case, Standard Size Plates, Guaranteed 18 months.

GROUP 1 DM13-13-Plate.

\$5.95 SPECIAL! EACH DM15-15-Plate. \$7.85

SPECIAL! EACH 15 Months Guarantee

Fit Following Cars:

All Model A and T Fords.
Ford V-8—1932 only.
Chrysler—50, 52, 58.
All De Soto Sixes—28-33.
All Durants, 4-Cylinder—1922-29.
All Dodge Standard Sixes—1930-37.
All Essex up to 1931.
All Graham Paige—610, 612 and Standard Six.
All Graham-Paige, 6 Cylinder—32-38.



All Oldsmobile Sixes, All Plymouths—1928-39, All Pontiac Sixes, All Chevrolets up to 1936.



reliable quality paint that "JUBILEE" HOUSE will preserve and beautify your home at a low cost. Easy to apply, dries to a glossy finish. PAINT UP! with this bargain-price paint.

• P10_ Per Gallon

P11-5-Gallon Can

Colors: White, Cream, Buff, Apple Green, Shutter Green, Brown, Red, Pearl Grey, Light Blue; state color wanted. One gallon covers about 300 sq. feet. Weight White and Tints of White, weigh about 16 lbs. to the gallon.



An excellent quality Floor Paint that will dry hard and wear well. Will give positive satisfaction.

• P15-Per Gallon

Colors: Light and Dark Slate, Orange, Light and Dark Yellow, Golden Brown. Weighs about 15 lbs. to gallon.

Jubilee Shingle

The paste from this paint is made Linseed

paint is made to the throughing through the thr

Colors: Red, Brown and Black. One gallon weighs

about 1 lb. P43-Per Gallon

@ P44_ Per 5-Gal. Can \$8.75

EXTRA LOW PRICE



"JUBILEE" BRAND

SHINGLE STAIN

Good Quality Shingle Stain at an EXTRA LOW PRICE!

\$1.35 Colors: Red, Black, Brown, Weight about 1 lb. to gallon.



Buy With Confidence!-This paint will stand up. The paste from which this paint is made is thoroughly ground in pure linseed oil. It is absolutely guaranteed to keep its color and preserve and protect your barn.

• P40-Per Gallon

Per 5-Gal. Can

Colors: Red, Grey and Brown. Weighs about 16 lbs. to gallon

ASPHALT BLACK JAPAN METAL PAINT FOR PIPES, TANKS, ETC.

Single \$1.25

GUM-SPIRITED

TURPENTINE

51.95



Can be used with complete confidence on every inside or outside surface - except floors. "Coronation" Paint is ready-mixed, is easy to apply, spreads well and dries to a beautiful gloss.

●P 31-Per Gallon

● P 32-Per 5-Gallon Can \$12.75

● P33-1/2 Gallon

● P34-Per Quart 80c

Colors: White, Cream, Ivory, Buff, Pearl Grey. Slate, Black, Sky Blue, Apple Green, Shutter Green, Dark Brown, Red.

Weight: All tints of White and Pure White weigh about 171/2 lbs. to gallon.

FOR YOUR WALLS!

FRESHEN UP FLOORS WITH "CORONATION" FLOOR PAINT BRAND

A Real Quality Paint. We can confidently recommend it to you as an outstanding value. Dries to a hard, glossy finish.

● P31F— 19 P33F-Per \$2.65 Gal.

● P34F-\$1.45 Per Quart

Colors: Light and Dark Slate, Light and Dark Yellow, Orange, Golden Brown.

"CORONATION" FLAT PAINT BRAND

Dries to a flat surface that is washable. Can be applied to all inside walls and ceilings to give a soft, pleasing effect. ● P36F— 1 P37F-9 P38F-

Per \$2.65 1/2 \$1.45 Per Quart Gal.

Colors: White and Ivory Only. Covers about 350 square feet to gallon.

"CORONATION"

Quick-Drying Enamel Durable and Lasting - Will Give Utmost Satisfaction

NO. P21-Per \$3.35 • NO. P23-Per 95¢ Juart

NO. P22 Per 12 Gal. \$1.75 NO. P24-55¢ Pint

: White, Cream, Ivory, Buff, Light Grey, Sea Green, Light Blue.

High-Grade Floor and Furniture

Varnish and Varnish Stains

QUICK-DRYING

P25B-Per Gal. \$2.85

P27B-Per Quart Per 32 Gal. \$1.50

Colors: Clear, Mahogany, Walnut, Light or Dark Oak, State color wanted.

Implement & Wagon Paint


Exceptionally Good Quality Paint Protect Your Machinery With This

Per Gal. \$2.95

. No. P29- 1 . No. P30-Per 1/2 Gal.

Per Quart \$1.60 90¢

Colors : Red, Black, Green and Yellow Weighs about 13 lbs.



DOOR TRACK HANGERS BARN

DEPENDABLE QUALITY - MADE BY ONE OF THE LARGEST DOOR-HARDWARE FACTORIES IN CANADA

BARN DOOR HANGER

Wheels are heavy pressed steel 2% ins. diameter. Hinged aprons are 5 ins. long by 2% ins. wide. For doors 134 to 2 inches thick and up to 250 lbs. Complete with bolt, blinds and clips. Fits square track listed below. Black enamel finish. \$2.05 • RWX21-PER PAIR

ROLLER-BEARING

FLAT TRACK **HANGERS**

Malleable hood, steel apron, roller bearing wheel, oil hole in hood, finished in black enamel. Complete with flat track listed below. RW843-

PER PAIR

\$1.55



SOUARE TROLLEY TRACK



RW131 - For above hangers; best grade.

6-Ft. Lengths, 10 lbs. 8-Ft. Lengths, 14 lbs. 10-Ft. Lengths, 18 lbs.

\$1.20 \$1.60 \$2.00

SQUARE BRACKETS

• RW131-Fit square track. Use every 2 feet. Complete with screws. 20¢ EACH

TROLLEY



Size 11/4x3/16

RW50-With brackets attached every foot 6 ft. 85¢ 8 ft. \$1.10 10 ft. \$1.40



DIAMOND "D" HOUSE PAINT IS GUARANTEED

FIRST QUALITY PAINT and compares in quality with the highest priced paints on the market!

DIAMOND "D" PAINT IS READY-MIXED AND IS DESIGNED TO GIVE MAXIMUM PROTECTION AND UNEXCELLED APPEARANCE TO ALL INSIDE OR OUTSIDE SURFACES (EXCEPT FLOORS, FOR FLOORS USE DIAMOND "D" FLOOR PAINT).

DIAMOND "D" HOUSE PAINT

EXTRA SPECIAL PRICES!

Buy With Fullest of Confidence - Save on Quality Paint

DD7 Per Gallon_ \$3.85

• 5-Gallon \$18.75 • DD8— Per ½ Gallon \$2.10

• DD9— Per quart \$1.15 Buy With Confidence

DIAMOND "D" PAINT COVERS ABOUT 350 TO 450 SQ. FT. TO GALLON

Colors:—White, Ivory, Cream, Buff, Sand, Pearl Grey, Slate, Sky Blue, Apple Green, Brazil Green, Shutter Green, Leather Brown, Dark Brown, Persian Red, Crimson Red.—State color wanted.

Shipping Weight—White and Tints of White About 20 lbs. to Gallon.

DIAMOND "D" FIRST QUALITY

FLOOR PAINT

For use on all wood or concrete floors, inside or outside. Dries overnight. Positively guaranteed to satisfy.

Per \$3.85 Per 1/2 Gl, \$2.10

Per \$1.15

Colors: Light Grey, Slate, Orange, Golden Yellow, Golden Brown.

Covers About 350 Square Feet, Two Coats to Gallon.

DIAMOND "D" FIRST QUALITY

FLAT WALL PAINT

For use on all interior walls. Dries to a high decorative, perfectly washable flat surface. Absolutely guaranteed to be a first quality paint.

WHITE AND IVORY ONLY

Per \$3.85 Per 1/2 Gl. \$2.10 Per Quart \$1.15

Covers About 350 to 450 Square Feet to Gallon

Diamond "D" Pure Linseed Oil

BARN PAINT

Colors: Red, Shutter Green, Black and Brown.

PER SALLON \$265

In 5-Gal. Cans \$12.75

Diamond "D" Pure Linseed Oil

SHINGLE PAINT

Colors: Red, Shutter Green, Black and Brown.

PER GALLON \$265

In 5-Gal. Cans \$12.75



GUARANTEED NO. 1 HARNESS LEATHER

The Workmanship and Material Used in the Manufacture of this Harness

Are of the Highest Quality, Making This a Real Value in a Sturdy

TRACES 2-INCH x 2-PLY

Full Side, Oak Tanned Leather, Triple Stitched

- BRIDLES Ring Crown style. 1-inch adjustable loose buckle crown, 3-ply adjustable checks, strong winker and supports, good bits, brass spotted.
- LINES—11/8-inch wide. No. 1 leather, 201/2 ft. long, double bar buckles, complete with snaps and loose buckle.
- POLE STRAPS—1¼-inch wide, 4 ft. 6 inches long,
 2-ply at buckle end, strongly sewn, complete with
 snaps and slides.
- MARTINGALES 1%-inch wide, full length, 2-ply at belly band loops, strongly sewn.
- BELLY BANDS—1¾-inch folded, leather filled reinforced with 1½-inch layer, making 3 ply.

- BACK PADS 4½-inch housing, heavy blue felt lined, nicely brass spotted conway loop.
- TRACES—Ring style, No. 1 leather, 2 inches wide.
 2-ply stitched with 3 rows linen thread, leather part
 feet, 4 inches long, 7-link heel chain, 3-ply hame
 tug, double and sewn billets.
- HAME STRAPS—1½-inch wide, best quality sewn, reversible, plain top.
- HAMES—Genuine "Dreadnought" steel, bolt style. reversible, plain top.
- HARDWARE—All supplied, good quality.

THIS HARNESS IS ABSOLUTELY THE BEST VALUE OFFERED!

NO. B503 — "THE VICTOR" HARNESS AS DESCRIBED (LESS COLLARS)

EXTRA SPECIAL!
PER SET TEAM HARNESS

\$35.75



Best Selection of Leather and the Greatest Care in Cutting Make This a Harness That Will Satisfy the Most Exacting Buyer.

GUARANTEED NO. 1 HARNESS LEATHER

Adjustable bridle with 11/8-inch double and adjustable crown. Concord blinds, 76-inch 3-ply cheeks full length and adjustable 34-inch throat latch and snap and adjustable conway buckle, nicely brass-spotted, strong ring bit.

LINES-11/8-inch wide, No. 1 harness leather, 201/2 feet long, complete with snaps and loose buckle.

POLE STRAPS—134 inches wide, 4 feet, 6 inches

- long, 2-ply at buckle end. Strong sewn, complete with snaps and slides.
- MARTINGALES-134 inches wide, 4 feet, 6 inches long, 2-ply at belly bend loop. Strongly sewn,
 HAMES — Brass tip top, genuine "Dreadnought"
- steel, bolt style, reversible.
- "PREMIER" BREECHING 5-ring hip strap and buckles. Seat with 11/4-in. layer, 11/8-inch hip, rip

- and breeching and rump rings leather protected. Heavy 2-inch folded straps, rump nicely brass spotted.
- TRACES—Ring style, No. 1 leather, 2 inches wide, 2-ply, 3 rows linen thread stitching, leather part 6 feet, 4 inches long. 7-link heel chains, 3-ply hame tugs. Double and sewn billets.
- BACK PADS—5-inch shaped leather housing, heavy blue felt lined, 11/2-inch double and sewn billets are continuous over housing; roller buckle, brass spotted.
- BELLY BANDS-2-inch felded, reinforced with 11/2inch layer, making 3-ply, 21 inches long.
- HAME STRAPS—11/8 inches wide, sewn, full length.
- HARDWARE—All supplied, good quality.

HEAVY 2-INCH x 2-PLY TRACES

Triple Stitched, Full Side Leather

NO. E505—"HERCULES" HARNESS, LESS BREECHING, LESS COLLARS.

PER TEAM SET

NO. E505—"HERCULES" HARNESS WITH BREECHING, LESS COLLARS.

PER TEAM SET \$53.75

NO. E505X—Same Harness as above but with 2-inch x 3-ply Traces. With Breeching. Less Collars. Per set ...

\$56.75

Holoe LITY! LOWEST PRICES

THESE TRACES ARE CUT FROM THE BEST PART OF SELECTED HIDES. THEY ARE CUT, FITTED AND STITCHED BY MEN OF LONG EXPERIENCE.

GUARANTEED TO GIVE EXTRA LONG SERVICE EVERY TRACE IS

TRACES ARE 6 FT., 4 INCHES LEATHER LENGTH, PROTECTED BY AN EXTRA HEAVY PLY LEATHER AT RING, HAME BOLT AND HEEL CHAIN, HAVE 11/2-INCH BILLETS AND HEAVY 3-PLY TRIPLE-STITCHED HAME TUGS. REINFORCED WITH COPPER RIVETS, RING STYLE AND 7-LINK HEEL CHAIN



EXTRA SPECIAL PAIR

● A500X — 11/2 inch by 3-ply Trace, pair,

3-PLY



A501—2 inches wide, 2-ply trace triple stitched

EXTRA SPECIAL PAIR

TRACES A501X - 2-in. by 3-ply Trace.


per pair,

A501X-2-inch x 2-ply Traces, Extra heavy quality. Full side leather, triple stitched. Per pair

BRASS-SPOTTED

Ring Crown Bridle

 C500X—Adjustable bridle with 1½-inch double and adjustable crown. Concord blinds, 34-inch 3-ply cheeks full length and adjustable, %-inch throat latch and snap and adjustable conway buckle, nicely brass-spotted, strong ring bit. P6 SPECIAL, EACH



Black Leather

HALTERS

• No. C523—This is a double ply halter, made of No. 1 quality leather, double and stitched with waxed linen thread with heavy hardware. 11/4-inch. Extra Special! Each

HEAVY WORK BREECHING

• C536 - 5-ring breeching, 2-inch folded seat with 11/4-inch layer, 11/8-inch hip and rib straps, 11/8-inch side straps, 1-inch trace carriers, 3/4inch detachable check straps, 11/4-inch safes, brass spotted, with snaps. An extra quality Breeching! Per Set for

2 Horses ...

HARNESS PARTS

GUARANTEED TO SATISFY!

If you find any of these goods defective in any way or if you are not entirely satisfied, we will refund your full purchase price, plus freight charges.



OFFERED! ABSOLUTELY THE BEST VALUE

THESE LINES ARE GUARANTEED NO. 1 HARNESS LEATHER

Cut from the top of the back hide. These lines are expertly cut. Absolutely guaranteed to assure you of the best possible value at real saving prices. Approximately 22 feet long. (Snaps not supplied).

• NO. C511—Team lines, 1-in. Per set for 2 horses

2 horses __

1½-inch. Per set for \$6.95

1/4-inch. Per set for 2 horses

BACK PADS



SPOTTED PAD

NO. C109 — 4½ inch shaped housing, heavy blue felt lined, brass spotted. 1½ - inch billets, double and stitched run continuous over top of NO. C109 pad; breeching loops with tieith tie-shown

rings as and roller bar \$1.85 buckles. Each



\$2.75

HAME STRAPS


 C124 ─ Hame Straps, sewn, best quality black leather. 1-inch 22¢ Special, each ... 138-inch, Special, each

RAWHIDE TRACES

● C526 — One-Piece Leather, selected, 6 ft. long. 2 ins. x 3-ply, 3 rows stitching. 7-link heel chain.

PAIR

Pole Straps And Martingales AT SAVING PRICES



Sewn Pole Strap

NO. C102 — These straps are cut from the best quality leather. 4 feet, 6 inches long, reinforced at buckle end, sewn — not riveted.

112-Inch 134-Inch Each 90¢ 78c

\$1.08

SEWN MARTINGALES

• NO. C103 — Finest quality, furnished with buckle and ring, double at loop end. Full length; sewn — not riveted.

132-INCH. 78¢ EACH 134-INCH. 90¢ EACH 2-INCH. \$1.05 EACH

BELLY BANDS

NO. C104 — Layer Belly Bands, 2-inch folded and leather filled with 1½-inch layer, making 3-ply filled with 1/2-inen layer, making 3-ply thick. (See illustra-tion.) 1½-inch roller buckles and leather loops. Best quality.

PRICE, 70¢

BELLY BANDS

NO. C105 — 3-ply, double stitched, full length, 1½-inch wide, with 1½-inch roller buckles and leather loops. SPECIAL, EACH

55¢

TRACE BILLETS

NO. C106-Finest qual quality loop bil-lets, 1½ ins. wide. For ring or straight

> EACH 30¢


HAME TUGS

• NO. C107 - with bolted trace ring. Heavy ply leather. inches wide. 3 rows of stitching. Fit 132, 134 and 2-inch traces.

\$1.35

EXTRA SPECIAL PRICES ON

CULTIVATOR SHOVELS



ORDER NOW! AND SAVE

Made of solid steel, correctly shaped and bolted. Is made to fit any stiff tooth cultivator. Comes complete with two bolts countersunk and ground in Made in four patterns. When ordering, please state size of shovels and make of cultivator.

To Fit Cockshutt. John Deere and Rock Island

GA-12-inch 79c GA-14-inch 89c To Fit Oliver, Case, Allis-Chalmers

GB— 5-inch 49c GB— 8-inch 59c GB—10-inch 69c GB—12-inch __ 79c

GB-14-inch __ 89c

International

GI—10-inch __ 69c GI—12-inch 79c GI—14-inch _ 89c

To Fit Massey-Harris

GM-10-inch 69c GM—12-inch 79c

GM—14-inch

Cultivator Shovels can be supplied in above sizes only - Prices F.O.B. Winnipeg.

EXTRAORDINARY SAVINGS ON

H & A have Built Quality Thresher and Combine Teeth or Almost Hal a Century — H & A Teeth have fo been furnished as Original Equipment by Many Thresher and Combine Manufacturers . . . Teeth produced by Specialists are Better Teeth.

Henry and Allen Replacement Teeth . . . "The Complete Quality Line" . . . They Fit Perfectly . . . They Wear

Original Tooth No.	TO FIT	Price
0254-T-J. I. inder an	Case Thresher, since 1918 except 20x28 cyl- d concave (less nuts)	.05
6237-T-J. I. Cylinder	Case Combine, all models and 20x28 thresher. and concave (less nuts)	.01
	Deere Combines, models 1, 3, 5, and 7. Cyld concave (less nuts)	.01
75-H-Minne inder an	apolis Combines ,models A, B, C, and D. Cyldi concave (less nuts)	.01
9251-T-Case inder an	Threshers before 1918 or serial No. 74012. Cyldocncave (less nuts)	.00
	cylinder (less nuts)	.10
	band (less nuts)	.10
127428-Holt	mely (Allis Chalmers) Combines, models 2, 3. (Caterpillar) Combines, models 34, 36, 38. Regnder and concave (less nuts)	.10

Original Tooth No.	TO FIT	Pric
127420—Cylinder	band (less nuts)	
127427—Short con	ncave (less nuts)	
1416-N-I.H.C. ()	McCormick-Deering) Thresher, 22x ar cylinder and concave (less nuts)	bro RF
	band (less nuts)	
VI-Minneapolis	(Minneapolis-Moline) Threshers. F	Regular
V3-Cylinder ba	ind (less nuts)	
21-Oliver (Nich	nols & Shepard) Thresher, 30x52, lar cylinder (less nuts)	22-58
22-Cylinder bar	nd (less nuts)	
XX-3—Cylinder	band (less nuts)	
24-Short concar	ve (less nuts)	
2 or 307-Cylind	der band (less nuts)	

RUBBER BRISTLE PAINT BRUSHES SET

Rubber Set



PURE BRISTLE PAINT AND **VARNISH BRUSHES**

● P60—1-Inch, each	19¢
11/2-In., each 23¢	3-In., each65¢
2-In., each 29¢	31/2-In., each 85¢
21/2-In., each 456	4-In., each98¢

Better Quality

Paint Brushes

Set-in Rubber

● P61-1-in. Each 25¢ 2-in. Each 45¢ 2½-in. Each 65¢ 3-in. Each 85¢ 31/2-in. Each \$1.10 4-in. Each \$1.39



 P64 — Kalsomine and Shingle Stain Brush. Mixed fibre and horse hair. 4-inch. Each _


5-INCH, **\$1.35** 6-INCH. EACH_

SAVE!

__ELECTRIC_ FENCE CHARGERS

BUY NOW

AT EXTRA SPECIAL PRICES! -



These Fencers are guaranteed for 24 months. Are precisionbuilt, with hair spring balance arm and oil-impregnated hard

battery drain, so making the battery give longer life. 6-volt Electric Fence Charger is Weatherproof, Dustproof, and enameled steel case is large enough to hold four 1½-volt batteries or one 6-volt battery. Life-time bearings, built-in-control. equipped with cables, and is always dependable and endurable.

fibre bearing. These Fence Chargers have features to give low

AND

Complete With Battery, Price ___

Less Battery,


Price .

ELECTRIC FENCE INSULATORS

(A)-Line post insulator knobs, measure l" by 13/6", good porcelain. per hundred In lots of 500. Price

Corner Post Insulators

(B)-Non-grounding type, extra groove prevent leakage. A good buy. Price, each



BARREL **PUMPS**

An excellent pump which will save you a considerable amount of oil during the season. A limited quantity only. Order immediately to be sure of delivery.

Extra special price, each





At An Extra Special

TAKE ADVANTAGE

Overall 21" long. Genuine Alemite Lever Grease Gun with Hydraulic Hook on nozzle. 1-lb. capacity, 7,000-lb. pressure. Complete as illustrated.

EXTRA SPECIAL VALUE

While quantities last, @ 6



HYDRAULIC FITTINGS

		100
Style	Pipe Thread Size	Price Each
Straight	½-inch	.05
671/2° Angle	1/8-inch	.09
90° Angle		.10
Straight	1/4-inch	.13
67½° Angle	1/4-inch	.17
State style, pipe t	hread and size	desire.

SPARK PLUGS FOR TRACTORS AND CARS



These Spark Plugs Are Engineered To Keep Automotive Equipment Operating At Peak Efficiency

The one-piece construction results in a gas-tight spark plug. This freedom from compression loss keeps the spark plug operating within its proper heat range, thereby reducing service troubles.

The side electrode is of the flat wire type, but welded to the shell, insuring longer gap life. This is an important feature, as frequent resetting of the gap is not necessary.

The insulators of these spark plugs are a high grade Ceramic material which will retain its efficiency under all engine operating conditions.

The complete line of these Spark Plugs has fewer types than ever before. This means that each plug has been designed for a wider range of ethiciency to meet the varying operating conditions in your engine,

ALL SIZES, REGULAR, EACH 50¢ 3 for \$1.00

BUY NOW AT THIS LOW PRICE WHILE STOCKS LAST.

When ordering, state make, model and year of car, truck or tractor.

SPARK PLUGS FOR TRACTORS =

Make and Model	Gas	Kerc
ADVANCE RUMLEY—ALLIS-CHALMERS—		
1932 thru	C-56	C-57
41 Models, B. 1B, RC, BC, S, WC, WF, W25 1930 Models: Y, 1932 thru '41 Models: UC, IU,	C-34	C-35
U, UC, Cane U40, E60, L90, K, L, M, A, WM	C-56	C-57
PATROL—		STATE OF THE PARTY
Models: 42, 54	C-56	C-57
CASE—		
1928 thru	C-56	C-57
S, SC, SO, SI	C-34	
DE, DI, B, VC, VI, VD	C-45	C-47
All others thru 1941	C-56	
1942 Model, VA	C-46	·
HART-PARR—		
Thru 1928		C-2
%" Heads, '28 to '30	C-56	C-57
After '29 Std. Row Crop, 13-28, 28-44 After '34 Row Crop 70HC, Std. 70HC, Orchard	C-56	C-57
and 70HC	C-44	C-47
Row Crop 70KD, Std. 70KD, Orchard 70KD	C-45	C-47
OLIVER—		
H.P. %" Heads	C-56	C-57
1935 thru '38, 70KD, Row Crop	C-45	C-47
80 HC, 90, 99 80KD	C-56	C-57
RUMLEY	C-56	C-57
TWIN CITY	C-56	C-57

Make of Model	Gas	Ker
JOHN DEERE-		2 9 9
D, DI to 1930		C-2
AO, AI, '35 to '39; B, BN, BW, '34 to '39; BR,		~ -
BO, BI, '35 to '39; W, WSP, '33 to '41 Model L and LA	C-56 C-34	C-5 C-3
G. P. 1928 to '31	C-34	C-2
W. T. 1928 to '31 G. P. '30 to '36; W T. '31 to '34; O '31 to '36;	VIII.	C-2
AO 1937	C-56	C-5
MASSEY HARRIS—		
Model 101 to 1940	C-35	C-3
1940—100, Junior	C-45	C-4
1940—101	C-34	C-3
1940—Pacemaker, Challenger 25 All others	C-56 C-56	C-5 C-5
INTERNATIONAL HARVESTER CO		
10-20, 15-30, 22-36, Std. Farmall, Indus. 20, 30, Harv. Thr. 7, 8, 9, 10, 11; McCormick-Deering Power Units 200, 300 Farmall F-12, F-14, F-20, F-30, Hay Press; Harv. Thr. 20 Eng. BD-1; Tranc-Tractor TA-40 Gas, T-20, T-40 Alcohol Trac, W-12, W-30,	C-56	C-5
1-12 Ind., 1-14 Ind., 1-30, 1-12 Ind., 0-14, McC. D. Engs. 1½, 3, 6, 10, Fairway 12, Fairway 14, WA-40, WK-40, IX-30, OX-30, FX-20, IA-40, IK-40, W-30, 1-30, F-20, F-30 Harvester Thresher Models 31, 41, 51 Models 60, 61	C-56 C-46 C-46	C-5 C-4 C-4

Type |

SPARK PLUGS FOR PASSENGER CARS

Make and Model	Type
AUBURN-	
Thru '33 and Models 8-9. Hi. Hd. 34, 35, 36, 6 and 8 cyl. A1. Heads 1934 8 cyl. Cast Iron head 1935-'36 Super Charged 12 cyl. all models	C-57 C-34 C-45
BUICK-	
1929 thru 1937 1938, '39, '40, '42, 14 mm 1941, 10mm	C-46 C-35 C-14
CHEVROLET-	
4 cyl. 6 cyl. thru 1931	C-57 C-47 C-45 C-35 C-34 C-14
CHRYSLER— Thru 1929 1930, '31 1931 Deluxe 8 1932 thru 1942	C-34
DODGE— 4 cyl, 6 thru 1928 and Senior 6,	C-57
'29 Six, '30 and '41 Six Eight 1932 thru 1942	C-47 C-47

Make and Model	Type
DURANT-	0.50
Thru '29 and Model 610	
After '29 and Model 670 ESSEX SIX—	C-47
Thru 1931	C-47
1932	C-45
LAFAYETTE-	
"400"	C-45
1930 8's, 8-90, 10-90, 11-90	
12-90 8-80, 9-80, 10-20, early 9-6	C-46
8-80, 9-80, 10-20, early 9-6	0,
9-70, 12-80, 3620, 3680 1937-'38 Ambassador 6 an	C-35
8 Ambassador 6 an	C-34
1939 thru 1942 Models	
1939 thru 1942 Wodels	C-34
OAKLAND-	
Thru 1929	
After 1929	C-47
OLDSMOBILE—	
1928 thru 1931	C-47
1932 thru 1936	C-45
1937 thru 1942	C-34
OVERLAND-	ACCOUNT OF THE
1939	C-34
PLYMOUTH-	
Thru 1928	C-57
After 1928 thru 1931 1932 thru 1942	C-47
1932 thru 1942	C-34
MERCURY-	
Ford	C-34

C-2 C-57 C-57 C-45 C-34 C-34 C-34 C-34
lels, C-57 C-47 Super 35 C-45 95 120 C-34 C-34 C-33
C-47 C-45 C-34
C-57 C-47 C-35 C-34

Make and Model

Make and Model	Type
HUPMOBILE—	
6 and 8 thru '27 1928 Six 1928 thru '36 and 1928	C-57 C-57
Eight 1938 thru 1941	C-47 C-45
NASH—	
%" Hds. thru 1928	C-57
29-'30 Adv. and Spec. Other 6's '30 thru '33 '34 Big Six, 12-20, 35-20, 35-10, 400, 3640	C-47 35-80,
Other 6's '30 thru '33'34 Big Six, 12-20, 35-20, 35-10, 400, 3640	C-47 35-80,
Other 6's '30 thru '33 '34 Big Six, 12-20, 35-20,	C-47 35-80, C-35 C-55 C-55 C-47 C-34 C-47

PISTON RINGS



To Fit All Tractors

ALLIS-CHALMERS TRACTORS - PICTON RING SETS

These regular Compression and Oil Ring Sets give excellent results. Oil Rings are of modern design with wide, bridge free, bevelled channel. Stocked in Standard and Oversizes.

Set No. Year To Fit Allis-Chalmers	Dia.	Comp.	Hi-Duty Oil	Per set
154 — 1938-41 B 155 — 1939-41—RC 123 — 1934-39 W, WC, WF, W25 153 — 1939-40 M	3½'' 3¾'' 4'' 4½''	81/8" 81/8" 121/8" 8 5/32"	4 3/16" 4 3/16" 4 3/16" 8¼"	1.25 1.25 1.45 2.50
112 — 1916-34 E35, aft'r 32749, 18-30, 20- 35, 25-40, K35, 50 Mon.	43/4"	121/4"	41/4"	1.95

HI-DUTY RING SETS

Designed for use in all types of motors and tractors, especially worn motors. Compression Rings are THERMODIZED to insure quick and safe break in. Oil Rings are of the steel segment type. Stocked in Standard and Oversize.

Set No. Year To Fit Allis-Chalmers	Dia.	Comp.	Hi-Duty Oil	Per set
454 — 1938-41 B 455 — 1939-41 RC	3½" 3¾"	8½8" 8½8"	4 3/16" 4 3/16"	1.75 1.75
439 — 1930-34 United U, UC (late pistons). All Crop: Cont. S-10	41/4"	12 3/16"	41/4"	2.45
112 — 1916-34 E35 after 32749, 18-30, 20- 35, 25-40, K35, 50 Mon.	43/4"	121/4"	41/4"	2.75

CASE TRACTORS — PISTON RING SETS

Set No. Year To Fit Case Tractors	Bore	Comp.		Per set
154 - 1935-40 R, RC, R1 (Wauk, RC, FK)	31/4"	81/8"	4 3/16"	1.25
130 — 1940-41 S, SC, SO	31/2"	121/8"	4 3/16"	1.65
122 — 1929-39 C, CC, CE, C1, CO, 17-27, B	37/8"	2 3/16"	4 3/16"	1.20
124 — 1920-38 12-20, 12-20A, P; W,	41/8"	8 3/16"	4 3/16"	1.45
131 J 1918-29 K, 15-27, 28-32	41/8"	81/4"	41/4"	1.45
111 — 1929-40 L, LE, LI, LO, 26-40	45/8"	12 5/32"	4 5/32"	1.95
THE RESIDENCE OF THE PARTY OF T	AND DESCRIPTION OF PERSONS ASSESSMENT	THE RESIDENCE OF THE PARTY OF T	STATE OF THE OWNER, WHEN PERSON NAMED IN	SECURIOR SPECIAL PROPERTY.

CASE TRACTOR - HI-DUTY RING SETS

Set No. Year To Fit Case Tractors	Bore	Comp. Rings	Oil Rings	Per set
154 — 1935-40 R, RC, R1, (Wauk, RC, FK) 122 — 29-39 C, CC, CD, CE, CI, CO, 17-27 B 124 — 1920-38 12-20, 12-20A ————————————————————————————————————	3½" 378" 4½" 4½" 45%"	81/8" 8 3/16" 8 3/16" 8 3/16" 8 3/16" 12 5/12"	4 3/16" 4 3/16 4 3/16" 4½" 4 5/32"	1.85 2.25 1.95 1.95 2.75

FORDSON AND FORD-FERGUSON TRACTOR PISTON RING SETS

Set No. Year Fordson and Ford Ferguson	Bore	Comp. Rings	Oil Rings	Per set
100 - 1918-27 Co-op, Piston Ring Set	4"	81/4"	41/4"	1.20
101 — I918-27 Co-op. Piston Ring Set 106 — Co-op. Piston Ring Set	4"	12 5/32"	4 5/32"	1.45
For Hercules O. OX	4"	12 3/16"	4 3/16"	1.45
103 - 1929-35 Co-op. Piston Ring Set _	41/8"	12 5/32"	4 5/32"	1.75
104 — 1930-38 Co-op, Piston Ring Set	41/8	12 5/32"	4 7/32"	1.75

JOHN DEERE TRACTOR PISTON RING SETS

Set No. Year Application	Bore	Comp. Rings	Oil Rings	Per
118 — 1935-37 B, BN, BW, to Ser. 60,000; BI, BO, BR, to Ser. 129,000 113 — 1934-37 A, AO, AR, AI, AN, AW— 114 — 1929-30 G.P. Std. Tr. to 223,802;	4½" 5½"	6 3/16" 8¼"	2 3/16" 2 ¹ / ₄ "	1.16
Wide Tr. to 402,039	53/4"	8 3/16"	2 3/16"	1.95
115 — 1931-35 G.P. Std. Tr. After 223,803; Wide Tr. After 402,040 116 — 1925-27 D 15-27 to MTR. No. 53888 117 — 1928-40 D 15-27 after MTR.	6" 6½"	8½" 8 5/16"	2¼" 2 5/16"	1.95 2.45
No. 53888	63/4"	81/4"	21/4"	2.45

MASSEY-HARRIS TRACTOR PISTON RING SETS

Set No. Year To Fit Models	Bore	Comp. Rings	Oil Rings	Per set
122 — 1930-35 Cert. 12, 12-20, Orch., Ind. 129 — 1927-35 Cert. 20-30, Orchard	37/8"	8 3/16"	4 3/16"	1.15
20-30, 25, 26-41	45/8"	81/4"	41/4"	1.35
140 — 1936-40 Cert. 20-30, Orchard 20-30, 25, 26-41	43/8"	121/8"	4 3/16"	1.75


MASSEY-HARRIS TRACTORS HI-DUTY PISTON RING SETS

Set No.	Year To Fit Models	Bore	Comp. Rings	Oil Rings	Per Set
	1940-42 82 Std. 101 Jr. (Continen- tal F140 Motor	3 3/16"	121/8"	41/4"	2.25
	1936-41 Pacemaker, Challenger	37/8"	121/8"	4 3/16"	1.85
	1930-35 Cert., 12, 12-20, Orch. Ind. 1927-35 Cert. 20-30, Orch. 20-30, 25,	37/8"	8 3/16"	4 3/16"	1.75
	26-41 (3 ring Piston)	43/8"	81/4"	41/4"	1.95

SOUARE SHANK DRILLS

Hi-Speed Steel boring metals. Length overall 5% inches to 6 inches.

Size-	Price
3/32	each 29e
7/32	each 39c
3/8	each 49e
7/16	each 69e
½-inch	each 79c
9/16	each 98c
11/16	each 1.39
3/4	each 1.65



BLACKSMITH Steel Twist

DRILLS **Hound Shanks**

One side of shank is flat so that the set screw of the drill press will hold firmly. This drill for Blacksmiths, garagemen, wagon makers machine shops, etc. Length overall, 5% inches to 6 inches.

Size—	Price
5/32	each 45c
5/16	each 65c
11/32	each 69c
3/9	each 75c
7/16	each 85c
½-inch	each 98c
9/16	each 1.05
9/32	each 1.15
%	each 1.19
3/4	each 1.25
1/8	each 1.35
11/16	each 1.45
No. of the latest the	

DRILLS Straight Shanks

Length Overall 7 to 8 inches


Size	P	rice
3/16	each	19e
7/32	each	22e
3/8	each	45c
7/16	each	65e
½-inch	each	85c


VILLAGE BLACKSMITH

Square Shank

Long, 61/2 inches, 35c Short, 51/2 inches 29e

> BARCOLD CHISEL Hax Shank





PISTON RINGS At Very Special REDUCED PRICES

	Man	McCORMICK-DEERING	TRACTOR	PISTON RING	SETS	
Set No.	Year	To Fit Models	Bore	Comp. Rings	Oil Rings	Per Set
	Power	WA-40, WK-40, TK-40, Unit DF-20, PK-40	3¾"	241/8"	6 3/16"	2.94
	P-30, W - 1923-39	Farmall 30, F-30, 1-30, 7-30, 20-30, 10-20 10-20, Ind. 20, SP-200, 8-16,	41/4"	12 3/16"	4 3/16"	1.78
	30, F30, - 1921-28	placement Pistons, Farmall and others 15-30 to TG 99926	41/4"	12¼" 12¼"	41/4"	1.78 1.78
112 -		15-30 after TG 99926, 22-36, PU300	434"	124"	41/4"	1.95

	MINNEAPOLIS MOLINE AND TWIN-CITY PISTON RING SETS					
Set No. Ye	ear To Fit Models	Bore	Comp. Rings	Oil Rings	Per Set	
Twir M, M	-37 11-20, 12-20, 13-25, 17-28, n-City A, AW, KE, KT, KY, MT, T, TY, TW, UNI, BW	41/4"	121/4"	434"	1.78	
UDL	LX, UTG, UTS, UTU, UOPN	41/4"	12 5/32"	41/4**	1.78	
Eng.	-34 FT, FE, FTA, 21-32, (FE to 090,000)	41/2"	121/4"	41/4"	1.70	
	-41 FTA, 21-22, after 900,000 Eng.)	45%**	81/4"	81/4"	2.48	

		OLIVER AND HART-PA	RR TRACT	TOR PISTON R	ING SETS	
Set No.	Year	Application	Bore	Comp. Rings	Oil Rings	Per Set
	- 1930-34	70, 70HC, 70KD 18-28 (Wauk-Vis) O.H.P. w Crop 8-18	31/8" 41/8" 41/2"	181/8" 12 3/16" 12 3/16"	6 3/15" 4 3/16" 4¼"	2.45 1.75 1.75

Set No. Application	Bore	Comp. Rings	Oil Rings	Per set
120 — Allis-Chalmers No. 3 (10-12 ct (Wauk XA)	3½"	8 3/16"	4 3/16"	, 1.20
No. 2", "Hillside, No. 1" (12 cut) (Herc. OXX)	-16 4"	12 3/16"	4 3/16"	1.45
120 — Case Combine No. 9, "A", "F (8-10-12 cut) 1927-36 (Wau XA) 122 — Case Combine, "P" (12-16-20 cu	_ 3½"	8 3/16"	4 3/16"	1.20
1929-39	37/8"	8 3/16"	4 3/16"	1.20
124 — Case Combine "P", "W", (12- 16-20 cut) 1926-38	41/8"	8 3/16"	4 3/16"	1.45
 John Deere Combine No. 6, No. 6-10 cut) (Herc. IXB) John Deere Combine No. 5, ear No. 5A, No. 15 (10-12 cut) (LY 	3¼"	81/8"	4 3/16"	113
AFD)	3¾"	12 3/16"	4 3/16"	1.75
and 17 (10-12 cut, 12-16 cut) (He OX)	4"	12 3/16"	4 3/16"	1.45
120 — McCormick-Deering Combine 1 8 Prairie (10-12 cut) (Wauk X 1938-35		8 3/16"	4 3/16"	1.20
105 — McCormick-Deering Combine, Prairie (9-12 cut) Hillside No.	7,			
Nos. 3, 9, 10, and 11 (12-16 c	33/4"	12 3/16"	4 3/16"	1.35
107 — Minn-Moline (Twin City) "A" cut) (Herc. OXC)	(16	.12 3/16"	4 3/16"	1.75

	REAPER	THRESHERS	PISTON RING	SETS	
Set No.	Application	Bore	Comp. Rings	Oil Rings	Per
	Combine, "C", "CB", cut) (Wauk FC, FK)	"K", 3¼"	81/2"	4 3/16"	1.65

SOLID PUNCHES VILLAGE BLACKSMITH

Size each 59e 1/2-inch ____ _ each 59e _ each 50c

> Solid Drift Punches Square Shank

Size	Price
1/0	each 35e
5/32	each 35e
3/32	each 350

Village Blacksmith CHISEL 6 ins. to 732 ins.

Size	Price
5/8	each 45e
3/4	each 55c
7/8	each 59c
1-inch	each 65c

Valve Grinding Compound

All cans have Double Compartment, containing fine and coarse compound, oil mixed.

UPPER SECTION 1/2 ounce Net Fine

LOWER SECTION 11/2 ounce, Net Coarse

Price, per tin _ 290

BLACK TIRE PAINT

For TRUCK, TRACTOR and PASSENGER TIRES. Preserves the rubber — makes tires last longer. This has been a big sell-item this year. Thousands of car owners are buying tire paint. Also for Farm Tractor Tires.

QUARTS

GALLONS

95¢

\$3.25

HEAT-PROOF, LUBRICATION PROCESS TOP OILERS, LUBRICATES ALL PARTS OF MOTOR - SAVES MOTORS.



Use in Top-Oiler-or Direct in Gasoline for Top-of-Motor Lubrication, Upper Cylinder Walls, Pistons, Rings, Valves, Stems and Guides.

A and B, 16-oz. 75c bottles

A and B, 32-oz. bottles

CERESAN

A Dry Disinfectant for: WHEAT, OATS, BARLEY, RYE, FLAX, PEAS GUARANTEED

One Pound per tin __

per tin _

Eight Pound,

65c

Four Pound, per tin ___

POISON

Canadian Distributors CANADIAN INDUSTRIES LIMITED

MALLEABLE Binder Drive Chains

AT DRASTICALLY REDUCED PRICES

ORDER NOW WHILE STOCKS ARE AVAILABLE

BINDER DRIVE CHAINS



To fit McCormick binders as listed. Three links of malleable chain have keyed pins to allow for taking up slack.

To Fit	Consists of		Price
	k—H567—43 malleable links, inks pinned and cottoned	_\$3.9	95

Deering—H630—Used 1908-1920, 7½ feet \$4.45

Deering—H630—Used 1908-1920, 10 feet long, 73 links \$5.95


STEEL BINDER DRIVE CHAINS

To fit binder as listed.

To Fit	Consists of	Price
DEERE—56 s	steel links,	\$2.90
DEERING—5 No. D or	5 steel links, 72½	\$2.75
	OOD—43 steel links,	\$2.35
	RRIS—54 steel links,	\$2.50
McCORMICK No. MHS	5—43 steel links,	\$2.35

Steel Link Chain Belting

In 10-Foot Lengths



Malleable Link Chain Belting

In 10-Foot Lengths

No. 42 Malleable Link Chain, each	\$1.50	
No. 45 Malleable Link Chain, each	\$1.50	
No. 52 Malleable Link Chain, each	\$1.80	
No. 62 Malleable Link Chain each	\$2.10	

DETACHABLE STEEL ROLLER CHAINS

The same chain as furnished to the manufacturers of Trucks, Tractors and Combines. Built to withstand the hardest usage.



RC—60—10 ft., 34-inch pitch, ½-inch roller \$7.75 width, 15/32-inch roller diam.

RC-80—10 ft., 1-inch pitch, 5%-in. roller \$14.95 width, 5%-inch roller Diam.

RC-80—1-inch pitch, %-in. roller width, \$1.50

RC-62—10 ft., 1.654-inch pitch, 1-inch roller width, 1.812-inch roller diam. \$15.95

RC-140—10 ft., 134-inch pitch, 1-inch roller width, 1-inch roller diam. ___ \$26.56

RC-140— 1¾ pitch, 1-inch roller width, 1- \$2.65

We have supply RC-80 and RC-140 in small quantities at prices shown at the foot length price.

MOWER GUARDS

WITH PLATES ATTACHED

When ordering be careful to state letters and figures on old guards.

To Fit	Part No.			
Champion	A881 (Replac	es A811)		
Deere	Z463_ (Replac	es Z1, Z43	9 an	d ZIE)
Deering	D698 (Replac	es D442 ar	d F	4)
Frost & Wood.	T			
Massey Harris	L215 (Replac	es M765	and	M803)
McCormick	D989			

EXTRA SPECIAL.
Price, each

190

BINDER GUARDS

WITH PLATES ATTACHED

State letters and figures on old guards when ordering.

To Fit	Part No.
Deere	B254
Deere	HZ147
Deering	286
McCormick	H917
Massey Harris	8220A
(Renlaces	8220)

EXTRA SPECIAL


Price, each 190

Briggs Oil Clarifiers AT ENORMOUS SAVINGS

3-PHASE CLARIFICATION

1.—Abrasive road dirt, carbon, metal chips and other solids are strained out by absorption as oil passes through cotton sock and numerous layers of fibrous ribbed cellulose.

- Engine-corroding acids, sludge-forming gums and resins are removed by ADsorption as oil passes through porous Fullers Earth Block.
- 3. Last traces of microscopic road dust are removed by ABsorption as oil goes on through final phase of cellulose, woven sock and centre tube.



3-PHASE CONSTRUCTION

- 1.—Patented alpha ribbed cellulose made with special equipment. Ribs control directional flow of oil.
- 2.—Patented Fullers Earth Block moulded in double-acting pneumatic presses, baked in special ceramic ovens under controlled temperatures and ground to exact size. Will withstand 4,000 lbs. pressure.
- 3.—More layers of ribbed cellulose, a perforated centre tube of steel plate and a woven sock made up the centre core. The ends of the sock are drawn up to cover completely the outside of the refill.

For All PASSENGER CARS, TRUCKS, TRACTORS, MARINE And STATIONARY GASOLINE ENGINES.

Price Include "UNIVERSAL" Bracket Without Tubing and Fittings

DESCRIPTION	PART NO.	LBS. EA. SHIP. WGT.	STANDARD CASE	PRICES
Clarifier	G-300	10	6	10.95
Clarifier	G-400	15	6	12.95
Clarifier	G-600	25	1	17.95

SUPERIOR "Red Whiz" Oil Filters

Model D7 Oil Filter (with band only)

Retail Price for Cars and Trucks

\$3.95

In this model preventing formation of sludge is as much a factor in ultimate motor cleanliness as the "cure" or actual removal of the dirt by the element. "Prevention" is affected by REMOVAL OF WATER, an exclusive feature in this engineered oil filter that allows room for over a quart of oil and water emulsion to separate, permitting water to settle in the bottom sediment trap.

The element is easily changed in this filter by removing the entire unit from the mounting bracket.

THE SUPERIOR "RED WHIZ" D7 OIL FILTER IS THE FEATURE UNIT OF ALL SUPERIOR PRODUCTS. ITS QUALITY PERFORMANCE ON TRUCKS AND TRACTORS EXPLAINS ITS UNUSUAL EFFECTIVENESS ON PASSENGER CARS, STAMPING IT AS THE FINEST FILTER AVAILABLE IN PASSENGER CAR SERVICE.

THE MODEL D7 IS ALSO USED AS THE INTEGRAL PART OF "RED WHIZ" DUAL AND TRIPLE FILTERS—UNITS OF EXCEPTIONAL EFFICIENCY IN TRUCK, TRACTOR, AND DIESEL EQUIPMENT, WHERE PRE-VENTION AND REMOVAL OF SLUDGE BEFORE IT REACHES THE ELEMENT IS THE MAJOR FUNCTION.





GRAIN BINDER SEARS AND PINIONS



Part No. Description	Each	Part No.	D
JOHN DEERE LIGHT RUNNING BINDER — B929—Main Clutch Sprocket (works for Z764), 1937 ——	1.75	B999—Butt A McCormic mick Deer	k Ir
LIGHT DRAFT BINDER —		B998—Butt Binder, M	Adj
HZ9—Bevel Gear, 1911-24	1.95	B1010—Plat.	
HZ143—Elev. Drive and Crankshaft Sprocket, 1911-25	.65	and Imp.	
HZ251-Driv. Sprocket (works for HZ261), 1911-25	.95	B1016—Cluto B1019—Cra	
HZ278—Bevel Pinion, 1911-24	.95	B1015—Cra	ank
		McCORMICK A	ND
DEERING NEW IDEAL BINDER -		BB1019—Cra	nks
H900—Bevel Pinion, 1908-26	.75		
H902—Bevel Gear, 1908-26	1.85	BF1019—Cra	
H929-Crankshaft Sprocket (6 and 7 ft. only), 1908-26	.85	B1031—Reel	
H933-Elev. Roller Bevel Gear, 1908-26	.65	Imp. L.H.,	
		BA1041—Ele Improved	
McCORMICK AND McCORMICK-DEERING -		ZZ1041—Ele	vato
B10-Bevel Pinion New Open Elev. R. H., 1901-13	.85	L.H., 1911	-25
BA167—Driving Sprocket, New Open Elevflfi R. H. and L. H., 1904-13	.60	BD1041—Ele Tractor Bi	
BH898—Binder Driving Sprocket (works for (BC898)		B1042—Elev.	Dr
McCorDrg., 1928	1.65	BA1042—Ele	
B958M-Bevel Gear Imp. R. H. and L. M., 1913-25	1.75	No. 2 Tra	
BA958—Bevel Gear, Left Hand, 1923	1.95	B1043—Elev.	
B959M—Bevel Pinion Imp. R. H. and L. H., 1913-25	.75	BA1043—Ele	
HZ42—Bevel Gear	1.95	proved, 19	
BA959—Bevel Pinion, L. H., 1923	.85	Z125—Dan-I Dan Verti	
B997M—Deck Roller G9ar,—Tractor, L. H., 1923-28		D574—Bev. (
McCorm. Imp. R.H. and L.H., 1911-25; McCorm. Drg. Imp LH., 1923	.60	D795—Bev. (

rt No. Description
B999—Butt Arj, Pinion, Tractor Brds., 1923-28; McCormick Improved, L.H., 1911-25; Binder McCor- mick Deering, L.H. Type C, 1923
B998—Butt Adjuster Gear, McCormick Imp., 1911-28; Binder, McCormick-Deering, L.H., 1923
B1010—Plat. Apron Roller Sprocket, Imp L.H., 1911-25 and Imp. R.H., 1913-25
B1016—Clutch Sprocket, L.H., 1911-25 B1019—Crankshaft Sprocket, L.H. Imp., 1911-15
CORMICK AND McCORMICK-DEERING -
BB1019—Crankshaft Sprocket, R.H. Imp., L.H. Imp.
BF1019—Crankshaft Sprocket, L.H., 1923
B1031—Reel Driving Gear, L.H. Imp. R.H., 1913-25; Imp. L.H., 1911-20
BA1041—Elev. Sprocket and Gear, Imp. R.H., 1913-20; Improved L.H., 1911-20
ZZ1041—Elevator Sprocket and Gear, Imp. R.H. and L.H., 1911-25
BD1041—Elevator Sprocket and Gear, Imp. L.H., 1923; Tractor Binder, 1923-28
B1042-Elev. Driving Gear, Imp. L.H., 1911-20
BA1042—Elev. Driving Gear (Use BB1042) No. 2 Tractor, No. 4 Tractor, 1930, L.H. Imp, 1921-25
B1043-Elev. Inter. Gear, Imp. R.H., and L,H, 1911-28-
BA1043—Elevator Intermediate Gear, R.H. and L.H. Improved, 1921-25
Z125—Dan-Deere Vertical and Plain, 1895-1919, Deere- Dan Vertical and Plain, 1915-1922
D574—Bev. Giant, 1901-1911
D795—Bev. Giant, 1906-12

KNOTTER AND BINDING PARTS

FOR GRAIN BINDERS Part No. Description	Price Each
KNOTTER GEARS — B924D—Grain Binders ('08-'26)	1.45
CAM GEARS — BB585—McCormick and McCormick-Deering, McCormick Improved L.H., 1916-25; McCormick, "CM" binding attach, for McCormick-Deering L.H., 1923 tractor binders, 1923-29	2.10
PACKER — W6633—Rear w/cap, McCormick Improved and New Open Elev, 1911-25; McCormick-Deering, 1923	1.25
KNOTTER HOOKS — HZ185—Deere, all binders, 1911	1.25
KNOTTER HOOK PINIONS — B130—Deere, all binders, 1911 E609D—Deering, all binders, 1898-1926	.35

MOWER



KNIVES		AA	AAA	
Best Quality -	- Smo	oth Edg	e — Gu	aranteed
Name of Mower To Fit	Knife head no.	Size of Sections		
Bradley	D463	3x3 3/16	FIVE	-FOOT
Deere		3x3 3/16	KN	IVES
Deering	D463	3x3 3/16		
Deering(same as	RA920 D920)	3x3 3/16		Special
Emerson	M203	3x31/8	P	rice
Frost & Wood,	273	3x31/a		
Massey-Harris (replaces	M902 M802)	3x31/4	\$1	.95
Massey-Harris	M1708	3x31/4		
McCormick and McCormick-Deering	g M139	3x31/4	е	ach
	254400	0 01/		

Best Quality - Guaranteed

Name of Binder T oFit	Knife head no.	Size of Sections	Local of Sec	
Deering	H877	31/8×21/8	Below Bar,	7 feet 2.25
McCormick (replaces I		3x2 7/16	Above Bar,	7 feet 2.25
McCormick	BA756	3x21/8	Below Bar,	
Frost & Wood.	B1700	3x21/8	Above Bar, 8	feet 2.35

MOWER PITMAN

Order carefully, state full information, and so avoid unnecessary delay. Give number on old part, state make of mower. To fit mowers listed.

Part	No.	Description	Price
G191	To fit D711 a	Deering, has hard oiler (replaces for D608, nd D712)	.40
MD3	7—To fard oile	it McCormick and McCormick-Deering, has r (replaces M317B and MB317)	.40
MB80	032-To	fit Massey-Harris 1919 and later, has automatic feed cup	-58

To fit Mowers listed. State if box end or knife end, front or rear.

Pa	rt No.	Description	Price Each
Pit	man Straj Z220—De Z225—De Z516—De Z392—De GA210—I G211—De 6—Frost 7—Frost 9—Frost 9—Frost M2491—M M2489—M	o for box end. Each p for Knife end. Each pere, Knife End (Rear) pere, Knife End (Front) pere, Knife End (Front) pere, Knife End (Front) pere, Box End (replaces Z226), (2 used) pere, Knife End (Front) pering, Knife End (Front) pering, Knife End (Front) use for D605 pering, Knife End (Front) pering, Knife End (Rear) pering, Knife End (Rear) pering, Knife End (Rear) pering, Knife End (Rear) pering, Knife End (Front)	.18 ed) and D893. D894.

Part No.	Description	Price Each
Deere-Z502-	(replaces Z482 and 25827)	Mower
Deere-B31		Binder
Emerson-M2	03	Mower
McCormick-D	eering—M139	Mower
McCormick-D	eering-MA139	Mower
McCormick-	B23	Binder



SECTIONS FOR COMBINE

AT CUT PRICES

HARVESTERS

	Inches Size of Setcions	Kind of Machine	Year
ADVANCE	E RUMELY		4000
K5D-2237	4x21/8 CS. Bot.	Combine	_1925—
ALLIS-CH	HALMERS		
K5D-14418	3x25/8	All Crop Harvester (Use 500760)	
500760	3x25/8	All Crop Harvester (Use for K5D-144)	
CASE			
E159S		Model K Combine _	
0490-HT	4x27/8 CS. Bot.	Combine	_1926—
02943	3x25% Top Ser.	Model "A-6"—6 ft. C	m. 1937
DEERE			
P3000	4x27/8 Not CS.	Combine No. 3 Combine No. 5	_1928—
DEERING			
2258		. CS No. 1 Harv. Use No. 2412)1915	5—22—
2412	4 5/32x25/8 CS.	No. 2 Harv. Thresh.	15-'22—

	Inches Size of Setcions	Kind of	Machine	Yea
MASSEY-I	HARRIS		7	
E1164	4x65% C.S. Bot. No. 9 I		per Threshesher	
GB4461	3x25% Top Ser.	Clipper Co	omb	1938-
McCORMI	CK-DEERING			
JB226	4x2 11/16 Not (C.S. Nos. 4	. 6. 8. Har	v.
	Thresher			
	12' and 16'			
JC226	4x2 11/16 Not 0	CS 3-Hole	(used with	
	JB226 under			
2412	4 5/32/25% CS 1	Nos. 3, 7,	9, 11,	
	Harv. Thres			_1928_
	16' Windrower			_1928_
	No. 20, 22, 31,	41, 51 Ha	rv. Thres.	1930-
(2412 will	work for Section	2258 with	CS. Bot.)	
M73651	4x2 11/16 Not (CS 2-Hole	No. 11 Ha	arv.
	Thresher			1929-

BOX OF 25

89c

MOWER SECTIONS—AT CUT PRICES

To Fit

Box of 25-89c

To Fit KindBox of 25-89c

Z5571-Deere-Dain Vertical and Plain, 1915-1922 Z7029-Deere-Dain Vertical and Plain, 1915-1922

Z5571—Deere Hifh Lift No. 1 and 2, 1922-; One Horse, 1925 No. 3 Reg., No. 4 Big Enclosed Gear, Tractor Drawn and Power, 1934-

Z7029—Deere High Lift No. 1 and 2 1922-; One Horse 1925 No. 3 Reg., No. 4 Big Enclosed Gear, Tractor Drawn and Power, 1934-

D1146-Deering Ideal and Giant, 1896-1904 Steel Pitman D1140—Deering Ideal, Ideal Giant, and Ideal Vertical Lift. 1898-1911 Wood Pitman

D1140—Deering New Ideal, 1905-1912 New Ideal—B, 1909-1918 New Ideal-BD, 1918-1926

745—No. 5, 7, 8, 9 Frost and Wood No. 8, 1896-'08, No. 8 Std. and Vert., Lift Giant, 1908-; No. 7
 745—U.S. No. 5, 7, 8, 9 Frost and Wood, No. 8, 1896-'08, No. 8, Std and Vert., Lift Giant, 1908; No. 7

M1262-Massey-Harris No. 20, 1917-27, No. 21, 1916 Since MB333-McCormick-Deering New 4, Vert, Lift, New Big 4, 1911-15

GUARD

MB333-McCormick-Deering, No. 6, No. 6 Vertical 1914-1932, Big 6, 1915-'32

MB333—McCormick-Deering Farmall, 1925 Since No. 7 and Big 7 Regular Lift No. 7 Vertical Lift, 1932 Since

M2492-Massey-Harris Mower, 7022, 1927 Since, 1923 Since, 1933

ER SECTIONS

HZ5186-Deere Light Draft, 1911-25

B4831 -Deere Light Running ... ew Bindings, 1923 Since

B4831 -Deere 8 and 10 ft. Tractor Binder, 1927 Since

E1328 -Deering Ideal, 1898-1909 New Ideal, 1908-'26

B3452 -No. 4, 6, 6A, 1917 Frost and Wood, Nos. 3, 4, 6, 6A

336A -Massey-Harris Binder, 1915 Since.

B4053 -Deere Light Running New Binder, 1923 Since

and SHOE PLATES

Z4053 -Deere 8x10 ft. Tractor Binder, 1927 Since.

AT REAL SAVING PRICES

GUARD PLATES

Box of 20-To fit mowers and binders. Give number of old guards or send in a paper tracing of one of the old plates, showing size and position of rivet holes. State machine name. Price, each _

SHOE GUARD PLATES

Send tracing of old shoe plate, showing size and position of rivet holes. To fit Deere, Deering, Frost and Wood, Massey Harris and McCormick Deering. Price, each _

FARMERS! TAKE ADVANTAGE OF THESE LOW PRICES!



"Star" Plow Shares

(GUARANTEED)

Star Plowshares are made of the best materials, by Expert Workmen under careful supervision.

They are made in two qualities to meet various soil conditions and known throughout the trade as "Soft Center" and "Crucible Shares".

We guarantee our duplicate shares to fit the plow for which they are intended equally as well as the originals, to be as well made and to give equal service. We will replace any share that proves defective in material or workmanship.

The point of all Star Plowshares is reinforced for Long Wear and Correct Soil Penetration. The Landside is Extra Heavy and Suitable for general soil conditions.

In Ordering be sure to specify Make of Plow and Factory Number.

Part No. Description	Price Each
1912—To fit Moline Plow, 12"	1.95
DW-To fit Moline Plow, 12"	
CY-To fit Moline Plow, 14"	2.25
DW-To fit Moline Plow, 14"	2.25
N12R8—To fit Emerson, 12"	
N13R—To fit Emerson, 13"	1.95
N14R-To fit Emerson, 14"	2.25
P5077—To fit Massey Harris, 12"	1.95
P966—To fit Massey Harris, 12"	1.95
P3754—To fit Massey Harris, 14"	2.25
P5079—To fit Massey Harris, 14"	2.20
161-To fit John Deere, 13"	1.98
157-To fit John Deere, 14"	2.2
165-To fit John Deere, 14"	2.2
241-To fit John Deere, 12"	1.9
243—To fit John Deere, 14"	2.2
264-To fit Canton & P.O. 12"	1.9
6181—To fit Hamilton, 12"	1.9
6306—To fit Hamilton, 12"	1.9
DT27-To fit Bradley Plow, 12"	1.9
IP910-To fit Fuller & Johnson, IA"	2.2
JG14H-To fit Cockshutte, 14"	2.2
P1331—To fit Cockshutte, 14"	2.2
NC23—To fit Oliver Plow, 14"	2.2
4674—To fit Oliver Plow, 12"	1.9

Part No.	Description	Pric Eac
P333—To fit Joh	n Deere Variety & Massey Harris, 12"	1.9
P33H-To fit Joh	in Deere Variety & Massey Harris, 14"	2.5
X13-To fit Joh	n Deere, 13"	1.5
X41-To fit Joh	in Deere, 13"	1.5
P2914-To fit Va	riety & Massey Harris, 12"	1.5
BS-To fit Molin	ne Plow, 16"	2.4
CY-To fit Mol	ine Plow, 16"	2.4
DW-To fit Mol	ine Plow, 16"	2.
N14R9-To fit E	Emerson, 14"	2.
N14R-To fit En	nerson, 15"	2.
P17155-To fit I	Massey Harris, 16"	2.
P8174-To fit M	assey Harris, 16"	2.
P12644-To fit I	Massey Harris, 12"	1.
	n Deere, 16"	
166-To fit John	n Deere, 16"	2.
233-To fit John	n Deere, 16"	2
242-To fit John	n Deere, 16"	2
	ton & P.O., 16"	
6182-To fit Ha	milton, 14"	2
DT47-To fit Br	adley Plow, 14"	2
P14-10-To fit	Cockshutt, 14"	2
NC23-To fit O	liver Plow, 16"	2
P1024-To fit Jo	ohn Deere Variety & Massey Harris, 14"	2
	n Deere, 14"	2
P1668-To fit V	ariety & Massey Harris, 15"	2

ORDER YOUR PLOW SHARES NOW

While Stocks Are Available At These Special Reduced Prices

AVOID WASTE!

Perfection Grain Saving Chaffers

TIME!

EXTRAORDINARY LOW PRICES

Combines travel faster and threshers handle more again. Designed to use more fan blast without blowing grain over. This is accomplished by the dead air space behind each cross slat.

Strongly constructed to withstand wear. Equip your combine or separator in the slack season, and avoid delay. All large separator chaffers have the twin frame feature.

Internati	onal Ha	arvest C	co. Si	ze 28-	46 \$26.0 0	Wood
Wood-lor	ng type	I.H.C.	Size	28-46	\$26.00	Ruml
Wood-lor	ng type	I.H.C.	Size	28-46	\$26.00	I.H.C

Wood-short type I.	H.C. Size 22-38	\$17.00
Rumley Steel. Siz		\$23.00
I.H.C. Extensions.	Size 28-46	\$26.00

HAFFERS CON Allis Chalmers	\$17.00
Baldwin, 12 ft	\$15.00
Case B	\$17.0
Case H	\$17.0
Case K	\$17.0

Case P	\$23.00
Cockshutt 6 and 7	\$20.00
Frost & Wood	\$23.00
Holt 36	\$23.00
Holt 12	\$23.00
I.H.C. 22	\$15.00
	The second second second

REPLACEMENT BEARINGS

AT REAL SAVING PRICES




BEARINGS FOR ALLIS-CHALMERS TRACTORS

"20-35", 1928 TO 1932 AND "E", "25-40", 1932 Bearing No. Application	Price
1305—(Ball Bearing) Power Take Off—Front, 1929-36,	Trans.
replaces Allis-Chalmers	1.6
375—(Cone) Front Wheel—Inner, 1929-37, replaces Allis- Chalmers No. E-1544	1.7
3720—(Cup—Fits 3780 or 375 Cone), replaces Allis-Chalmers	1.2
3320—(Cub) E-1545, replaces Allis-Chalmers	.7
535—(Cone) Spline Shaft—Right, replaces Allis-Chalmers Comp. No.	2.9
382A—(Cup) High Speed Shaft—Both ends, replaces Allis- Chalmers No. E-1716	1.9
53A—(Cup) replaces Allis-Chalmers No. E-1802	1.6
32-(Cup) replaces Allis-Chalmers No. E-1888	.7
2687—(Cone) Steering Worm Upper, replaces Allis-Chalmers	1.2
32055—(Inner Race) replaces Allis-Chalmers	1.6

Bearing No. Application	Price
3336—(Cone) Front Wheels—Inner, 1929-1935, replaces Allis Chalmers	1.4
342—(Cone) Front Wheels—Inner, 1936-1940, replaces Allis- Chalmers	1.4
3320—(Cup) replaces Allis-Chalmers 14131—(Cone) Front Wheels—Outer, 1929 to 1940, replaces Allis-Chalmers	.71
592A—(Cup) replaces Allis-Chalmers No. U-134 382—(Cup) Clutch Belt Pulley—Inner, 1929-35, Power Take Off—1929 to 1940, replaces Allis-Chalmers No. U-131	3.7
1280—(Cone) Cross Shait—1929-35, replaces Allis-Chalmers 144—(Cone) Belt Pulley—Inner and Outer—1929, "United" replaces Allis-Chalmers	1.9
332—(Cup) replaces Allis-Chalmers No. U-280 447—(Cone) Belt Pulley—Outer, 1930-1940, replaces Allis- Chalmers	1.9
132—(Cup) Clutch Belt Pulley—Outer, 1930 to 1935, replaces Allis-Chalmers 32—(Cup) replaces Allis-Chalmers	1.2
32—(Cup) replaces Allis-Chalmers 38—(Cone) Belt Pulley—Inner, 1930-1935, replaces Allis- Chalmers	1.9
5118—(Cone)Belt Pulley—Inner, 1938-1940, replaces Allis- Chalmers	.8
5244—(Cup)replaces Allis-Chalmers 210—(Ball Bearing) Pinion Shaft—Front, replaces Allis- Chalmers	2.7

Bearing No. Application	Price
342—(Cone) Front Wheel—Inner, replaces Allis-Chalm No. 336	
14131-(Cone) Front Wheel-Outer, replaces Allis-Chalm	
3578-(Cone) Rear Axle-Outer, replaces Allis-Chalmer	s8:
3525—(Cup) replaces Allis-Chalmers No. U-949	.85
493—(Cup) replaces Allis-Chalmers No. U-950	1.85
375-(Cone) Steering Pivot-Lower, replaces Allis-Chalm	ners 1.78
3720—(Cup) replaces Allis-Chalmers No. U-951	1.10
147-(Cone) Belt Pulley-Outer, replaces Allis-Chalmers	1.93
432—(Cup) replaces Allis-Chalmers No. U-280	1.25
332-(Cup) Inner, and Power Take Off, replaces Allis-C	hal
mers No. U-131	.76
1210-(Ball Bearing) Second Intermediate Shaft-Fro	ont,
replaces Allis-Chalmers	2.6

REPLACEMENT BEARINGS FOR ALLIS-CHALMERS TRACTORS



MODEL A-1936-1940

Bearing No	Application	Price
375—(Cone)	Front Wheel—Inner	1.75
342—(Cone)	Front Wheel—Outer	1.45
419—(Cone)	Spline Shaft—Front	1.95
355—(Cone)	Belt Pulley—Inner	1.55

MOD	ETP M' 13	33-34, W	C, 1935-40, W	/r, 194U	
Bearing No.	Application (replaces	Allis-Chalmers	Tractors	Price

Front Wheels-Inner (All Models)	1.3
(2 used on 3-wheel model—1936-40 Front Wheels—Inner	1.4

Bearing No.	Application	
3320—(Cup) Wide	Front Axle Only-1938-40	
14274—(Cup) Wide	Front Axle Only—1938-40	
3920—(Cup) Differ	ential—1933-37	
3383—(Cone) Rear	Wheels-Outer	
3320—(Cup) 1933-3	6 and Early 1937	
3920—(Cup) 1938-	40—Earlier Models listed abo	ve
355—(Cone) Steer	ing Pivot-1934 Model Only	
354-A—(Cup) (Or	der 355-354A to Replace Sha	afer No.s
33453-33454		***************************************
14214—(Cup) 1935-	40 (Also "WF")	

BEARINGS FOR CASE TRACTORS MODEL R. 1935 TO 1940—RC. RI, RO, 1940 ONE PLOW, 16 HORSE-POWER

Application

	rippireation			1110
14125—(Cone) From 14274—(Cup) Inner :	t Wheel, replace and Outer (also fi No. O1461-AB	ts power	take off)	
02820—(Cup) Trans Nos. O3765-AB—	mission Counter	Shaft,	replaces	Case,
2720—(Cup) Both sid 399-A—(Cone) Rear 394-A—(Cup) Inner	Axle, replaces C	ase, No.	O3754-AE	1.8
394-A—(Cup) Inner				
No. 03780-AB	g Pivot (to Marc	h, 2937)	replaces	Case,
1305—(Single Row)	Power Take-off	Front,	replaces	

MODEL "12-20", A, C, AND CC, 1925 TO 1937 Application Price

354—(Cup) replaces Case, No. 01543-AB

14274—(Cup), replaces Case, No. 01461-AB
563—(Cup) replaces Case, No. O1453-AB
460-(Cone) Differential-Both Sides, replaces Case, No.
38-AA—O1856-AB
Spline Shaft-Both Sides, replaces Case, No. 09773-A
438-(Cone) High Speed and Intermediate Shafts, replace
Case, No. O6681-A
462—(Cone) Goose Neck—1930. Only and Steering Pivot—
1931-37, replaces Case, Nos. A213-AA-O2206-ABI
555-S—(Cone) Goose Neck—1929 only, replaces Case,
No. 213-AA, O2206-AB
552-A—(Cup) replaces Case, No. O2205-AB
28315—(Cup) Gear Shaft—Inner—1926-27-28, replaces Case,
No. O7632-A
2788—(Cone) Power Life—Rear, replaces Case, No. O3351-AB
2720—(Cup) After 1934, replaces Case, No. 01455-A.B.
OR-308—(Outer Race) replaces Case, No. 07927-A
IR-308—(Inner Rase) Fits to 1932 Models, replaces Case,
No. 07925-A
1303—(S.R. Ball Bearing) Fan—Front to 1935, replaces Case,
No. O1465-AB
1305—(S.R. Ball Bearing) Power Take off-Front, replaces
Case No. O6693-A

Bearing No.	Application	Price
	Row Ball Bearing) Clutch Rear—1929 Case, No. O1551-ABI	3.75

REPLACEMENT BEARINGS FOR CASE TRACTORS

MODEL L AND LI. "26-40", 1928 TO 1937

Bearing No. Application	Pric
1310—(S.R. Ball Bearing) Clutch—Rear—to 1933, replaces Case,	3.7
1305—(S.R. Ball Bearing) Power Take-off-Front, relaces Case, No. O6693-A	1.4
536—(Cone) Differential—Right and Left sides, replaces Case, No. 01546-AB	2.6

REPLACEMENT BEARINGS FOR CATERPILLER TRACTORS

MODEL 20, 1928 TO 1935, SERIALS L-I TO 1/1970; PI-I TO PL-6319



1-B-3918

.75

2.41

8-CI AND UP; 2-FI TO 2-FI TO 2 853 Application Bearing No.

552-A—(Cup) Fits L-1 to L-1970, replaces Case, No. 1-552A—(Cup) Fits L-1 to L-1970 and PL-1 to PL-6319, replaces Case, No. 1-B-3918 Case Tractor Replacement Bearings-Continued on Next Page

REPLACEMENT BEARINGS

CASE TRACTORS REPLACEMENT BEARINGS-CONTINUED	DEDI I COLUMN	
Bearing No. Application Price	REPLACEMENT BEARINGS	8
66—(Cone) Sprocket Shaft—Outer, replaces Case, No. 1-B3921 3.45 563—(Cup) Fits Serial 3C-1 and Upwards, replaces Case,	FOR JOHN-DEERE TRACTORS	夏
No. 1-B-3922 2.45 **109—(S.R. Ball Brg.) Pulley Shaft—1930 to 1932, replaces Case No. 1-B-4119 3.65		
Case, No. 1-B-4119 3.65 *10—(S.R. Ball Brg) Secondary Drive, 1928; Final Drive, 1929 to 1932, replaces Case, No. 1-B-4120 3.75	MODELS D AND DI, 1925 TO 1940 Bearing No. Application	Price
205—(S.R. Ball Brg.) Fan—Front and Rear—1933-35, replaces Case No. 1-B-4106	580—(Cone) Rear Wheel—Outer (only)—1936-40, replaces	
307—(S.R. Ball Brg.) Spline Shaft—Front and Rear—1933-35 replaces Case, No. 1-B-4117	572—(Cup) Rear Wheel—Outer (only)—1936-40 replaces	3.98
408—(S.R. Ball Brg.) Countershaft and Stationary Driveshaft Rear—1933-35, replaces Case, No. 1B4129 3.95	2788—(Cone) Brake Shaft—Outer 1936-40, replaces	2.60
208—(S.R. Ball Brg.) Stationary Driveshaft—Front—1933-'35 Main Extension Shaft—1930-32, replaces Case, No. 1-B-4110 1.95	No. JD-7222 2720—(Cup) Brake Shaft—Outer, 1936-40, replaces No. JD-7266	1.30
207—(S.R. Ball Brg.) Power Control and Power Take-off —1933-35, replaces Case, No. 1-B-4109 1.65	3192—(Cone) Power Take-off Cross Shaft—Inner and Outer,	.70
306—(S.R. Ball Brg.) Power Control and Power Take-off —1933-35, replaces Case, No. 1-B4116	(only) replaces Nos. JD7260, JD7310	1.45
MODEL IS 1000 TO 1005 SERIALS IN LAND 7.C.1	No. JD7207 Power Shaft Quill, 1931-1936, replaces	.80
MODEL 15, 1930 TO 1935; SERIALS ID-I AND 7-C-1 AND UP; PV-1 TO PV-7532	14274—(Cup) Power Shaft Quill, 1931-1936 (only) replaces Nos. JD-7262, JD-7307 3780—(Cone) Power Shaft Bevel Gear Front, 1931-1936,	.80
Bearing No. Application Price	3720—(Cup) Power Shaft Revel Geor Front 1021 1022	1.90
563—(Cup) Serial 1-D-1 and Up, replaces Case, No. 1-B-3922 2.45	replaces Nos. JD7247, JD-7851	1.15
566—(Cone) Sprocket Shaft—Outer, replaces Case, No. 1-B-3921 205—(S.R. Ball Brg.) Fan-Front and Rear—1933-1935, replaces	"GENERAL PURPOSE", 1929 TO 1935	
Case, No. 1-B-4106 1.15 806—(S.R. Ball Brg.) Spline Shaft—Front and Rear—1933-35;	Bearing No. Application	Price
replaces Case, No. 1-B-41161.95	3383—(Cone) Front Wheel—Inner, replaces No. JD-7224 3320—(Cup) Front Wheel—Inner, replaces No. JD-7270	1.65
MODEL 15, 1930 TO 1935; SERIALS ID11 AND 7-C-1	(Only) Front Wheel—Inner, replaces No. JD-7270 2785—(Cone) Front Wheel—Outer, replaces No. JD-7216 2720—(Cup) Front Wheel—Outer, replaces No. JD-7266-7316 09194—(Cup) Camshaft—rght and left. Replaces No. JD-7250 09194—(Cup) Governor Shaft—1999, right to JD-7250	. 1.35
AND UP; PV-1 TO PV-7532	09194—(Cup) Camshaft—rght and left, Replaces No. JD-7250 09194—(Cup) Governor Shaft—1929, right hand. Replaces	.70
Bearing No. Application Price	09224—(Cup) Fan Shaft—Front, 1930-1935, Replaces No.	.20
407—(S.R. Bail Brg.) Countershaft—Rear—1933-35, replaces Case No. 1-B-4128 3.15	1729—(Cup)—Fan—Rear—1930-35, Replaces No. JD-7401	.85 .65
308—(S.R. Ball Brg.) Two Final Drive Pinions and Pulley Shaft—1930-1932, replaces Case, No. 1-B-4118 2.95 408—(S.R. Ball Brg.) Countershaft—Rear—1930-32,	3920—(Cup) Rear Axle—Inner and Outer—1929-1933 472—(Cup)—Rear Axle—Inner and Outer—1934-1935. Replaces JD-7295	158
Replace Case, No. 1-B-4129 209—(S.R. Ball Brg.) Front Power Lift Clutch Shaft—Right	447—(Cone)—Spline Shaft—Right Side Replaces No.	1.95
1933-35, replaces Case, No. 1-B4111 2.25	3193—(Cone)—Spline Shaft—Left Side, Replaces No. JD-7214 342—(Cone)—Front Steering Spindle Upper, Replaces No.	1.45
MODELS D-2 AND R-2	JD-7226 3320—(Cup)—Wide Tread Model. Replaces No. JD-7270 3920—(Cup) Wide Tread Model. Replaces No. JD-7675	1.48
Bearing No Application Price	The state state states at places 140, 3D-1013	1.55
	BEAR WHEEL DEADING CETS	
566—(Cone) Sprocket Shaft—Outer, replaces Case, No. 1-B-3921 3.25	REAR WHEEL BEARING SETS Bearing No. Application	Price
No. 1-B-3921 3.25	Bearing No. Application	Price
566—(Cone) Sprocket Shaft—Outer, replaces Case,	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D"	T TOTAL
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer.	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940	6.45
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 306—(S.R. Ball Brg) Fan Shaft—Front (101 to 400)	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application	T TOTAL
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940	6.45
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 133—(S.R. Ball Brg.) Mainshaft Extension and Stationary	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266	6.45 Price 1.65 .75 1.35
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) replaces Case, No. 1-B-4116 213—(S.R. Ball Brg.) Mainshaft Extension and Stationary Driveshaft—Front, replaces Case, No. 1-B-4113 4.95	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner, Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner, Replaces No. JD-7220 2785—(Cone) Front Wheel—Outer, Replaces No. JD-7270	6.45 Price 1.65 .75 1.35
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 123—(S.R. Ball Brg.) Mainshaft Extension and Stationary Driveshaft—Front, replaces Case, No. 1-B-4113 4.95 DR-4, D-4, R-4; 30, 1936-38	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266 MODEL G, 1937 TO 1940	6.45 Price 1.65 .75 1.35 .76
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.91 7.95 123—(S.R. Ball Brg.) Mainshaft Extension and Stationary 1.95 124—(S.R. Ball Brg.) Mainshaft Extension and Stationary 1.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 3.15	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application	6.45 Price 1.65 -75 1.35 -76 Price
MODEL 60. ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 113—(S.R. Ball Brg.) Mainshaft Extension and Stationary 7.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 855-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 3.15 8580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 3.95	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 99194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940	6.45 Price 1.65 -75 1.35 -76 Price
MODEL 60. ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 123—(S.R. Ball Brg.) Mainshaft Extension and Stationary 1.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 3.15 580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 3.95 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 69194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application	6.45 Price 1.65 -75 1.35 -76 Price
MODEL 60. ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 113—(S.R. Ball Brg.) Mainshaft Extension and Stationary 7.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 855-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 3.15 8580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 3.95	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD7224 3320—(Cup) All Models Except "AN", "AH", Replaces	Price 1.65 .75 1.35 .70 Price 2.5
MODEL 60. ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 replaces Case, No. 1-B-4116 7.95 1.95 1.95 1.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 1-B-9049 3.15 580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 3.95 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS MODELS D AND DI. 1925 TO 1940 Bearing No. Application Price 3383—(Cone) Front Wheel—Inner, 1925 to 1940 (Except early	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD7224 3320—(Cup) All Models Except "AN", "AH", Replaces JD-7270 2788—(Cone) Front Wheel—Inner. Replaces No. JD7222	6.45 Price 1.60 -74 1.35 -70 Price -76 -25
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 1.95	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 09194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD7224 3320—(Cup) All Models Except "AN", "AH", Replaces JD-7270 2788—(Cone) Front Wheel—Inner. Replaces No. JD7222 2788—(Cup) Models "AN", "AH", 1936-1940. Replaces No. JD7266	Price 1.65 -75 1.35 -70 Price -76 -25 Price -1.68 -76
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer. replaces Case, No. 1-B-3933 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) replaces Case, No. 1-B-4116 213—(S.R. Ball Brg.) Mainshaft Extension and Stationary Driveshaft—Front, replaces Case, No. 1-B-4113 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 5560—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS MODELS D AND DI. 1925 TO 1940 Bearing No. Application Price 3383—(Cone) Front Wheel—Inner, 1925 to 1940 (Except early 1929) replaces John-Deere, No. JD-7224 1929) replaces John-Deere, No. JD-7224 2385—(Cone) Front Wheel—Inner (only) 1925 to 1940 (Except early 1929) replaces JD7216 756 2785—(Cone) Front Wheel—Outer, 1925 to 1940 (Except early 1929) replaces JD7216 1.35	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7250 D-7250—(Cup) All Models Except "AN", "AH", Replaces JD-7270 2788—(Cone) Front Wheel—Inner. Replaces No. JD7222 2720—(Cup) Models "AN", "AH", 1936-1940. Replaces No. JD7266 2785—(Cone) Front Wheel—Inner. All Models. Replaces No. JD-7216 2726—(Cup) Front Wheel—Inner All Models. Replaces	Price 1.65 -79 1.35 -70 Price 7.6 -28 Price 1.68 -70 1.35
MODEL 60. ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 1.95	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 69194—(Cup) Camshaft—Both Sides. Replaces No. JD-7256 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD7224 3320—(Cup) All Models Except "AN", "AH". Replaces JD-270 2788—(Cone) Front Wheel—Inner. Replaces No. JD7226 2785—(Cone) Front Wheel—Inner. All Models. Replaces No. JD-7216 2726—(Cup) Front Wheel—Inner All Models. Replaces No. JD-7266 2785—(Cup) Front Wheel—Inner All Models. Replaces No. JD-7266 2786—(Cup) Front Wheel—Inner All Models. Replaces No. JD-7266	Price 1.65 -75 1.35 -76 Price 2.5 Price 1.68 -70 1.68 -70 1.35 -70
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 7.95 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) 7.95 replaces Case, No. 1-B-4116 7.95 213—(S.R. Ball Brg.) Mainshaft Extension and Stationary 7.95 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 3.15 580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 3.95 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS MODELS D AND DI, 1925 TO 1940 Bearing No. Application Price 3383—(Cone) Front Wheel—Inner, 1925 to 1940 (Except early 1929) replaces John-Deere, No. JD-7224 1.65 3320—(Cup) Front Wheel Inner, 1925 to 1940 (Except early 1929) replaces JD7216 7.75 2785—(Cone) Front Wheel—Outer (only) 1925 to 1940 (Except early 1929) replaces No. JD-7316-JD7266 7.70 342—(Cone) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7226 7.70	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 09194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH",	Price 1.60 -75 1.35 -70 Price 7.8 220 Price 1.68 -70 1.36 -70 1.95
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 806—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) replaces Case, No. 1-B-4116 213—(S.R. Ball Brg.) Mainshaft Extension and Stationary Driveshaft—Front, replaces Case, No. 1-B-4113 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS MODELS D AND DI, 1925 TO 1940 Bearing No. Application Price 3383—(Cone) Front Wheel—Inner, 1925 to 1940 (Except early 1929) replaces John-Deere, No. JD-7224 2785—(Cone) Front Wheel Inner (only) 1925 to 1940 (Except early 1929) replaces JD7216 2720—(Cup) Front Wheel—Outer, 1925 to 1940 (Except early 1929) replaces No. JD-7316-JD7266 2720—(Cup) Front Wheel—Outer (only) 1925 to 1940 (Except early 1929) replaces No. JD-7316-JD7266 3720—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7226, JD-7326 3820—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7270, JD-7326 3820—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7270, JD-7326 3820—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7270, JD-7326 3826—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7270, JD-7326 3826—(Cup) Early 1929 only—Front Wheel Inner, Serial 68880 to 95944, replaces No. JD-7270, JD-7326	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 99194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH",	Price 1.65 .75 1.35 .70 Price .78 .25 Price 1.68 .70 1.35 .70 1.35
MODEL 60, ALL SERIES—MODEL 65 ALSO DIESEL Bearing No. Application Price 759—(Cone) Final Drive Pinion Shaft—Inner and Outer, replaces Case, No. 1-B-3933 306—(S.R. Ball Brg.) Fan Shaft—Front (101 to 400) replaces Case, No. 1-B-4116 213—(S.R. Ball Brg.) Mainshaft Extension and Stationary Driveshaft—Front, replaces Case, No. 1-B-4113 DR-4, D-4, R-4; 30, 1936-38 Bearing No. Application Price 555-S—(Cone) Bevel Gear Shaft, replaces Case, No. 2-B-9049 5580—(Cone) Sprocket Shaft Outer, replaces Case, No. 1-B-3924 REPLACE BEARINGS FOR JOHN-DEERE TRACTORS MODELS D AND DI, 1925 TO 1940 Bearing No. Application Price 3383—(Cone) Front Wheel—Inner, 1925 to 1940 (Except early 1929) replaces John-Deere, No. JD-7224 3320—(Cup) Front Wheel—Outer, 1925 to 1940 (Except early 1929) replaces JD7270-JD7324 2785—(Cone) Front Wheel—Outer, 1925 to 1940 (Except early 1929) replaces JD7270-JD7324 2785—(Cone) Front Wheel—Outer, 1925 to 1940 (Except early 1929) replaces No. JD-7316-JD7266 2720—(Cup) Front Wheel—Outer (only) 1925 to 1940 (Except early 1929) replaces No. JD-7326 3820—(Cup) Early 1929 only—Front Wheel Inner, Serial 68380 1.45	Bearing No. Application 725—X John Deere, 575-572—D-373, D-766 1926—38 Model "D" MODEL G, 1937 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7224 3320—(Cup) Front Wheel—Inner. Replaces No. JD-7270 2785—(Cone) Front Wheel—Outer. Replaces No. JD-7216 2720—(Cup) Front Wheel—Outer. Replaces No. JD-7266 MODEL G, 1937 TO 1940 Bearing No. Application 3339—(Cup) Countershaft—Right Side Replaces No. JD-7408 09194—(Cup) Camshaft—Both Sides. Replaces No. JD-7250 MODELS "A", "AI", "AO", "ANH", "AR", "AW", 1934 TO 1940 Bearing No. Application 3383—(Cone) Front Wheel—Inner. Replaces No. JD-7244 3320—(Cup) All Models Except "AN", "AH". Replaces JD-7270 2788—(Cone) Front Wheel—Inner. Replaces No. JD7222 2720—(Cup) Models "AN", "AH", 1936-1940. Replaces No. JD-7216 2785—(Cone) Front Wheel—Outer—All Models. Replaces No. JD-7216 2786—(Cup) Front Wheel—Inner All Models. Replaces No. JD-7266 33402—(Cup) Rear Wheels—Inner and Outer—Models A. AN, AW, AWH, AO, AH—1937-40, replaces No. JD-7364 444—(Cone) Differential—Right and Left Sides. All Models to 1939, 1940 "AR" AO replaces No. JD-7364	Price 1.60 -70 1.35 -70 Price 2.76 -2.8 Price 1.68 -70 1.36 -70 1.36 -70 1.95

BEARINGS

KEPLACEMI			17/
MODELS B, BI, BN, BO, BR, BW, 1934-1940	Price	MODELS "CHALLENGER" AND "PACEMAKE 1936 TO 1937	H
Bearing No. Application	-	Bearing No. Application	Price
\$383—(Cone) Front Wheel—Inner, Replaces No. JD-7224— \$320—(Cup) Models "BW" only, 1936-1940, Replaces No.	.1.68	3383—(Cone) Front Wheel—Inner. Replaces "Challenger" No. 13384-D	1.6
785—(Cone) Front Wheel—Outer Models, "BW", "BWH"	1.35	3320—(Cup) Replaces "Challenger" No. 13125-D 2586—(Cone) Front Wheel—Outer. Replaces "Challenger" No.	.71
Only, 1936-40. Replaces No. JD-7216 e720—(Cup) Front Wheel—Outer Models, "BW", "BWH"	.76	13121-D	1.2
only, 1936-40. Replaces No. 3D-7200 397—(Cone) Rear Axle—Outer Model "B", 1934-35. Replaces	1.85	"Challenger" No. 11902-C	2.2
No. JD-7366 \$982—(Cone) Rear Axle—Outer "BI", 1935 to 1940, "BO",	2.25	"Pacemaker" No. 11903-C	1.5
No. JD-7366 \$982—(Cone) Rear Axle—Outer "BI", 1935 to 1940, "BO", "BR" 1939-40. Replaces No. JD-7242 \$920—(Cup) Rear Axle—Outer "BI", 1935 to 1940, "BO", "BR", 1939-40. Replaces No. JD-7292 3379—(Cone) Differential—Right and Left Sides. All Models.	1.55	"Challenger" and "Pacemaker" No. 14254-A 1202—Ball bearing Governor drive shaft, single row. "Challenger" and "Pacemaker" No. 13795X	1.2
Replaces No. JD-7246 8839—(Cup) (Use 3381 Cone in 1939, "B1", "BR"). Replaces	1.65		-
No. JD-7408 16244—(Cup) Countershaft—Right Hand. All Models. Re-	.75	FOR MASSEY-HARRIS TRACTORS MODEL 101—SUPER AND JUNIOR, 1938-40	
2528—(Cup) Countershaft—Left Hand, All models. Replaces No. JD-7405	.70	Bearing No. Application 5307—Ball bearing, double row Spline shaft—Front. Replaces	Price
FOR MASSEY-HARRIS TRACTORS		Massey-Harris No. 13515-X	.31
Bearing No. Application	Price	REPLACEMENT BEARINGS FOR McCORMICK-DEERING TRACTORS	
2788—(Cone) Front Wheel—Inner, all except "OK" 20-30 Replaces Massey-Harris No. 1879-D	1.35	McCORMICK-DEERING "10-20" TRACTOR,	
2720—(Cup) Front Wheel—Inner. All except "OK" 20-30. Replaces Massey-Harris No. 1860-D Replaces Massey-Harris No. 1860-D Replaces Massey-Harris No. 1860-D Replaces Massey-Harris No. 1860-D	.70	1922 TO 1938 Bearing No. Application	Price
Replaces Massey-Harris No. 12143-D 8525—(Cup) Front Wheel—Inner. "OK", 20-30, only 1930-31	1.85	447—(Cone) Front Wheel—Inner Tapered Bearings, 1926 to	1
Massey-Harris No. 12144-D 2820—(Cup), Replaces Massey-Harris No. 1861-D	.85 .60 4.95	1937 after Serial K.C44433, replaces McCormick-Deering No. 12315-D, 13211-DA 3379—(Cone) Front wheel—right and left tapered bearing,	1.95
5720—(Cup) Replaces Massey-Harris No. 2819-C 6377—(Cone). Same as Differential Gear 6358. Replaces Massey-Harris No. 2822-B 6321—(Cup). Left and Right, Replaces Massey-Harris No.	4.98	1926-1937, replaces McCormick-Deering No. 12318-D, 13205-D	1.65
6321—(Cup). Left and Right. Replaces Massey-Harris No. 2823-B 8520—(Cup). Sliding Gear Shaft Right. Replaces Massey-	3.65	to 1937, replaces McCormick-Deering No. 13277-D and 32415-V	3.45
Harris No. 11167-B 460—(Cone). Sliding Gear Shaft Left, Replaces Massey-Harris No. 11170-B	2.25	5202—Double row ball bearing 5202—Double Row Ball Bearing after 1937, replaces Mc- Cormick-Deering No. 14027-D	1.35
452—(Cup). Sliding Gear Shaft Left. Replaces Massey-Harris	1.55	McCORMICK-DEERING MODEL, 15-30—1921 TO	1928
19194—(Cup), Fan—Right and Left Roller. Replaces Massey- Harris No. 11308-H	.25	McCORMICK-DEERING MODEL, 22-36—1929 TO Bearing No. Application	1937 Price
MASSEY-HARRIS TRACTORS "12-20", 1929 TO		447—Cone. Front Wheel—Outer, replaces McCormick-Deering	
Bearing No. Application 2788—(Cone). Front Wheels—Inner. Replaces Wallis No.	Price	No. 12315-D and 13211-D IR-3195—Inner Race and Roller Assembly, front wheels inner Brg. for models, replaces McCormick-Deering No.	1.95
1879-D 2720—(Cup) Front Wheels—Inner, Replaces Wallis No.	1.35	11189-D 447—(Cone) Pulley Drive Shaft—Rear, replaces McCormick-	1.75
1860-D	.76	Deering No. 12315-D and 13211-D 526—(Cone) Transmission Spline Shaft, replaces McCormick-	1.95
No. 11902-C 3920—(Cup), Replaces Wallis No. 11903-C	2.25 1.55	Deering No. 13187-D and 13349-DA 3982—(Cone) Pulley Drive Shaft, replaces McCormick-Deer-	2.45
333—(Cup) Right Hand. Replaces Wallis No. 11897-B	2.45	ing No. 11991-D and 13367-D	2.25
552-A—(Cup) Replaces Wallis No. 11900-B 28315—(Cup) Both Ends, Replaces Wallis No. 12044-H 14274—(Cup) Fits above cone—front end. Replaces Wallis	.70	and Pumpshaft—1929-'36, replaces McCormick-Deering No. 12330-V	2.35
No. 11365-H	.35	5201—Double Row Ball Brg. Governor Bearing, 1926-1936, McCormick-Deering	1.35
MASSEY-HARRIS TRACTORS, "GENERAL PURPO	DSE"	McCORMICK-DEERING MODEL "H"	
MODEL, 4 WHEEL DRIVE Bearing No. Application	Price		Price
455—(Cone) Front Wheels—Inner. Replaces Wallis No.	100	1779—(Cone) Front Wheel—Outer, replaces McCormick— Deering No. 13321-DA	.75
RO-1233-A 453-A—(Cup) Rear Axle—Inner, Replaces Wallis No. RO-1234-A	2.25	McCORMICK-DEERING FARMALL "F-30", 1931 TO McCORMICK-DEERING FARMALL, "W-30", '32 TO	
333—(Cup) Rear Axle—Outer, Replaces Wallis No. 11897-B 377—(Cone) Differential, Replaces Wallis No. RO-1361-A 378—(Cup) Front and Rear, Replaces Wallis No. RO-1360-A 333—(Cup) Replaces Wallis No. 11897-B	.75 1.65 1.45		Price
333—(Cup) Replaces Wallis No. 11897-B 336—(Cone) Bull Pinion. Replaces Wallis No. 11896-B	1.45	438—(Cone) Front Wheel—Inner, replaces McCormick-Deering No. 17268-H and 13391-D	1.95
MASSEY-HARRIS TRACTORS MODEL "25-4	0"	3379—(Cone) Front Wheel—Outer, replaces McCormick— Deering No. 12318-D and 13205-DA	1.65
	1	567—(Cone) Rear Axle—right and left, fits "F-30" only, replaces McCormick-Deering No. 13331-D and 32408-V 5201—Double Row Ball Bearing to 1937, Governor Bearing,	3.45
1932-1937	-	McCormick-Deering McCormick-Deering	1.35
	Price	McCormics-Deering	1.00
Bearing No. Application 3578—(Cone) Front Wheel—Inner. Replaces Wallis No. 12143-D	1.85	FARMALL, "F12", 1933 TO 1939	
Bearing No. Application 3578—(Cone) Front Wheel—Inner. Replaces Wallis No. 12143-D 13276—(Cup) Replaces Wallis No. 12144-D 13274—(Cup) Fits Above Cone—Front End. Replaces Wallis	1.85	FARMALL, "F12", 1933 TO 1939 Bearing No. Application	Price
Bearing No. Application 3578—(Cone) Front Wheel—Inner. Replaces Wallis No. 12143-D 3526—(Cup) Replaces Wallis No. 12144-D 14274—(Cup) Fits Above Cone—Front End. Replaces Wallis No. 11365-H No. 11365-H 09104—(Cup) Fan Pump—Inner and Outer, Replaces Wallis	1.85 .85	FARMALL, "F12", 1933 TO 1939 Bearing No. Application 2788—(Cone) Front Wheel—Inner Brg., replaces McCormick—Deering No. 13330-DA	
Bearing No. Application 3578—(Cone) Front Wheel—Inner. Replaces Wallis No. 12143-D 3526—(Cup) Replaces Wallis No. 12144-D 14274—(Cup) Fits Above Cone—Front End. Replaces Wallis No. 11365-H	1.85 .85 .35	FARMALL, "F12", 1933 TO 1939 Bearing No. Application 2788—(Cone) Front Wheel—Inner Brg., replaces McCormick-	Price

REPLACEMENT BEARINGS

TTY I FOR OF IVER AND HART-PARE TRACTORS

FOR MINNEAPOLIS-MOLINE and TWIN- MODELS "21-32" TWIN CITY FT AND FTA TRAC		FOR OLIVER AND HART-PARR TRAC. MODEL "12-24" HP, 1925 TO 1929	rors
1928 TO 1937	Drine		Price
Bearing No. Application	Price	Bearing No. Application	Frice
675—(Cone) Rear Wheel—Right and Left. All years, replaces Minneapolis-Moline and Twin City No. FT-7012	3.95	1305—Single Row Ball Bearing. Fan Shaft and Power Take- Off replaces Oliver & Parr No. S-2814	1.45
555-S—(Cone) Countershaft—right and left, replaces Min- neapolis-Moline and Twin City No. FT-7024	3.25	1305-A—Self-Aligning Ball Brg.—2 Rows Balls, replaces Oliver & Hart-Parr No. S-2484	2.25
462—(Cone) Belt Pulley, replaces Minneapolis-Moline and Twin City No. FT-7021	2.25	1304—Single Row Ball Brg. Transmission Pinion Shaft, replaces No. S-2828	1.85
485—(Cone) Belt Pulley, High Speed, shaft—left, replaces Minneapolis-Moline and Twin City	2.25		TO SOLIT
MODEL "17-28", TWIN CITY TY TRACTOR, 192	7-1937	MODELS "18-36" AND "28-50," HP, 1926 TO 19	
Bearing No. Application	Price	Bearing No. Application	Price
	-	1309-A—Self-Aligning Ball Brg., 2 Rows Balls, Pulley Shaft, replaces Oliver & Hart-Parr No. S-2435	5.45
255—(Cone) Front Wheel—Inner, replaces Twin City No.	1.55	409-A—Self-Aligning Ball Bearing—2 Rows Balls, belt pulley, replaces Oliver and Hart-Parr No. S-2307	7.65
\$581—(Cone) Front Wheel—Outer, replaces Twin City No. FT-7004	1.25	puncy, replaces onver and really are not been	
MODEL "17-30", TYPES "A" AND "B", 1926 TO	1934	MODELS 70 AND STANDARD 70 HC AND KD	ROW
Bearing No. Application	Price	CROP 1935 TO 1940	
462-(Cone) Front-Wheel-Inner, replaces Twin City No.		Bearing No. Application	Price
FT-7021 \$85—(Cone) Front Wheel—Outer, Twin City No. 9001-W	2.25 1.75	2788—(Cone) Front Wheel—Inner, 1935-36, replaces Oliver & Hart-Parr No. BA-5013	1.35
447—(Cone) Power Take-Off—1st and 2nd shaft, replaces Twin City		15118—(Cone) Front Wheel—Outer 1935-36, replaces Oliver	.75
449—(Cone) Power Take-Off—2nd Shaft—Inner, replaces Twin City	1.95	& Hart-Parr No. BA-5014 3979—(Cone) Rear Axle—Inner, 1935-38, replaces Oliver &	2.25
Twin City	1.00	Hart-Parr No. BA-5021 3982—(Cone) Rear Axle—Outer, 1935-38, replaces Oliver &	2.25
MODELS "KT" AND "KTA", COMBINATION,		Hart-Parr No. CA-5012 28682—(Cone) Rear Axle—Inner, 1939-40, replaces Oliver &	1.95
1938 "MT", "MTA" & "MM" UNIVERSAL, 1932-		Hart-Parr No. BA-5021-A 35175—(Cone) Front Wheel Post-Lower, 1935-40, replaces	1.55
Bearing No. Application	Price	Oliver & Hart-Parr No. BA-5018	1.45
844—(Cone) Countershaft—Right and Left, replaces Universal No. KT-7103	1.45	Hart-Parr No. BA-5006 4306—Double Row Ball Brg. Bevel Pinion—Front, replaces	3.65
438—(Cone) Belt Pulley—Right and Left, replaces Universal No. KT-7101	1.95	Oliver & Hart-Parr No. BS-5004	3.00
462—(Cone) Rear Axle—Inner, replaces Universal No. FT-7021 666—(Cone) Rear Axle—Outer, replaces Universal No.	2.25	3-WHEEL, DOUBLE FRONT ROW CROP, 1932-1	936;
KT-7107	3.45	MODEL 80, 1938-39	
KT-7109-A 8780—(Cone) Steering Pivot, replaces universal No. MT-7003	1.65 1.85	Bearing No. Application	Price
TWIN CITY Z MODELS ZTN, ZTS, ZTU, 1937-1	020	478—(Cone) Rear Axle—Outer, replaces Oliver & Hart-Parr No. CA-5012-A	2.65
Bearing No. Application	Price	528—'Cone' Front Axle Post—Upper, replaces Oliver & Hart- Parr No. CA-5017-A	2.65
342—(Cone) Front Wheel—Inner, replaces Twin City No.		101 011 011 011	
JT-9009, only 26882—(Cone) Front Wheel—Inner, replaces Twin City No.	1.46	REPLACEMENT BEARINGS FOR	
YT-934, only 8578—(Cone) Front Axle—Vertical Shaft Pedestal, replaces	1.35	FORDSON AND FORD-FERGUSON	
Twin City No. FT-7014, only 2788—(Cone) Front Axle—Upper, replaces Twin City No.	1.85	BEARINGS FOR FORDSON TRACTORS, 1917-1	933
AH-5904, only	1.35	Bearing No. Fits	Price
City No. JT-9001, only	2.45	308—Pulley Drive Gear—Inner Ball Bearing	
No. UT-472, only 2581—(Cone) Countershafts—both ends, replaces Twin City	3.95	406—Pulley Drive Gear—Outer Ball Bearing	1.65 1.65
No. FT-7004, only	1.25	405—Ball Bearing—Transmission Shaft—Small 406—Ball Bearing—Transmission Shaft—Large 214—Pall Bearing—Transmission Drive Shaft and Large	1.65
TWIN CITY R MODELS RTN, RTS, RTU, 1937-1	940	Gear	2.75
Bearing No. Application	Price	McCORMICK-DEERING MODEL "M"	19.11
26882—(Cone) Front Wheel—Inner, Twin City 2788—(Cone) Front Pedestal—Upper, replaces Twin City No.	1.35	Bearing No. Application	Price
AH-5904 only	1.25		-
City No. FT-7014, only	1.85	342-S—(Cone) Front Wheel—Inner, replaces McCormick— Deering No. 54234-H	1.45
TWIN CITY U, MODELS UDLX, UTS, UTU, 193	8-40		7410
Bearing No. Application	Price	STANDARD "FARMALL" AND "F-20", 1923 TO	134
8383—(Cone) Front Wheel—Inner, replaces for Twin City No. KT-7109A, only	1.65	Bearing No. Application	Price
8578—(Cone) Front Axle on UTU only, replaces Twin City No. FT-7014, only	1.85	447—(Cone) Front Wheel—Inner—for years using tapered cones and cups. replacs McCormick-Deering No.	
THE PARTY OF THE P		13211-DA and 12315-D 3379—(Cone) Front Wheel—Outer for years using tapered	1.95
MODELS "JT", "JTO", "JTS", "JTU" 1934-193	37	cones and cups, replaces McCormick-Deering No. 12318-D and 13205-DA	1,65
Bearing No. Application	Price		1,00
842—(Cone) Front Wheels—Inner, replaces for Twin City No. JT-9009	1.45	STANDARD "FARMALL" AND "F-20", 1923 TO	1937
477—(Cone) Rear Wheels—Inner and Outer, replaces for Twin City No. JT-9001	2.45	Bearing No. Application	Price
 666—(Cone) Differential—Right and Left, replaces for Twin City No. KT-7107 2581—(Cone) Trans. Countershaft Upper and Lower replaces 	3.45	5104—Double Row Ball Bearing, Rear Axle—Inner, replaces	-
 2581—(Cone) Trans. Countershaft Upper and Lower replaces for Twin City No. FT-7004 2578—(Cone) Steering Post—Upper and Lower, replaces for 	1.25	"Farmall" No. 15196-D 5201—Double Row to June, 1937, Governor Bearing	7.95 1.35
2578—(Cone) Steering Post—Upper and Lower, replaces for Twin City No. FT-7014	1.85	5201—Double Row to June, 1937, Governor Bearing 5103—Double Row Ball Bearing. Differential—Right-Left 1923-1937, replaces "Farmall" No. 15195-D	6.45

ASSEMBLIES SLEEVE

TO FIT **ALLIS-CHALMERS TRACTORS**

High quality, Ni-Chrome, precision machined. Packed individually, Sleeve, Pin Fitted Piston, Rings, Gaskets and installation instructions.



Stock No.	Description	Price Ass'y
3G41—Model B, 3 OG33—W, WC, W No. Cvis. 4	rear, 1937-39, bore 3¼, No. Cvis. F, W25, Power Unit, year 1933-39, bore, 4,	3.95
1G38-M, U, UC,	WM, U40, power unit, year 1933-'39, bore	5.45
4½, No. Cvi	5., 4	6.45

SLEEVE ASSEMBLIES TO FIT McCORMICK-DEERING TRACTORS

Stock No.	Description	Ass'y
1-14, 0-14, W No. Cvis. 4	F-12, 1-12, O-12, W-12, after engine , Fairway 12, Farmall F-14, Fairway, -14 (5-ring piston), year 1933-39, bore 3	14, ins.
1G23-Same-for	altitudes 5,000 ft. or regular gas. Year 19	3.95 933- 4.25
Orchard 10-2 39, bore 41/4	30, F-30, Ind. 1-30, W-30, 20-30; 10 0 Ind. 20; Power Units P30, 200, year 19 ins. No. Cvis. 4	-20, 923-
ANAT TO SO STIEL	TG99926; 26-36, Ind. 30; PU300, year 19 ins., No. Cvis. 4	190

SLEEVE ASSEMBLIES TO FIT CASE TRACTORS

Stock No.	Description	Price Ass'y
G8-C, CC	12-20A, year 1920-38, bore 4½ ins., No. Cvis., 4 CD, CO; C1 Ind. CE, D, DC, DO Skid Engine ear 1929-39, bore 3%, No. Cvis., 4	5.42
SLEEVE	ASSEMBLIES TO FIT OLIVER & H.	ART-
Stock No.	Description	Price Ass'y

4G32—Row Crop, Std., Orch. 70HC, 70KD, (Flt. Hd Pist) year 1935-39, bore 31/8, No. Cvis. 6
OG15—Std. Row Crop 2-3, 8-18, 18-28 (Flat Head Piston) year 1930-37, bore 41/6, No. Cvis., 4
4G14—A, 28-44, 3-5 Plow, 90, 99, year 1930-'39, bore 41/8 No. Cvis. 4 6.45 6.48

SLEEVE ASSEMBLIES TO FIT MINNEAPOLIS MOLINE & TWIN CITY Price Ass'y Stock No. Description

5.98 10.95

SLEEVE ASSEMBLIES TO FIT MASSEY-HARRIS TRACTORS

Stock No.	Description	Price Ass'y
Challenger,	Industrial Orchard 12, 12-20; F year 1930-38, bore 3%, No. Cvis.	4 5.95
1939, bore 3	n Power Pacemaker and Challe %, No. Cvis. 4 OK, KO, Cub Jr. 15-27, year 19	5.98
4¼, No. Cvi 3G28—20-30, Ce	s. 4 rtified 20-30, Orchard 20-30, ye	ar 1927-36 7.48




Tractor Lugs

Cast iron tractor lugs with chill cast hardened points. They are guaranteed to be free from defects of manufacture. Note EACH the reinforced rib on side which gives extra strength in the right place.

Quantity	To Fit	Size
72	Oliver	3C
108	Hart Parr	4C
383	John Deer	7C
36	John Deer Model M	7CA
577	McCormick Deering	8C
96	Massey Harris	9C
123	Massey Harris	110
61	1016 Allis Chalmers	13C
72	McCormick Deering and Twin City	12C
51	McCormick Deering	14C


GEAR PULLERS

This New and Improved Gear Puller with patented gripping feature, will handle all types of gears, pinions, etc.



Has 1/2" screw, 6" long, and jaws having a spread of 6" by 31/2" in length, is ideal for small work.

Price, \$4.95 each



An "all purpose" Tool which will handle a wide range of work. Jaws are 5½ ins. long. with a spread of 8 ins. Screw is 9 ins. long by 5/8 ins. diam.

Price, each


STEEL GRIP LACING

FOR RUBBER OR LEATHER BELTING. EASILY APPLIED WITH HAMMER. STRONG JOINT.

15-X-12 pieces 6" up to 21/2" wide. Complete with hinge pins. Per box

25-F-Contains 12 pieces for belts 3"-5" wide. Complete with hinge pins. Per box

35-M-Contains 8 8" pieces for belts, 51/2" 8" wide. Complete with hinge pins. Per box



\$2.15

EXTRAORDINARY SAVINGS ON

Rubberoid Roofing & Shingles

BUY NOW -



RUBBEROID ROOFING — Black

(FACTORY SECONDS)

AVAILABLE FOR IMMEDIATE DELIVERY

35-lb. roll (108 sq. ft.)	\$1.40	45-lb. roll (108 sq. ft.)	\$1.75
40-lb. roll (108 sq. ft.)	\$1.50	55-lb. roll (108 sq. ft.)	\$2.25

SLATE SURFACE ROOFING — Various Colors

75-lb. roll 36" width. (This paper available in green \$2.75

75-lb. roll 18" width. (Green and red colors).

90-lb. roll 36" width. (Red and \$2.90

EACH ROLL IS APPLIED WITH A TIN OF TAR AND SUFFICIENT NAILS

All these roofings contain 108 square feet per roll and will cover approximately 100 square feet of surface. They are ideally suitable for granaries, barns, garages and every farm use.

EXTRA SPECIAL

FACTORY SECONDS

COLORED

ROOFING PAPER

RED ONLY

60-lb. weight, 108 square feet.

Per **\$2.25**

(Each roll is supplied with a tin of tar and sufficient nails)

DIAMOND SHAPED

ASPHALT SHINGLES

(FACTORY SECONDS-125 LB. PER 100 SQ. FEET)

AVAILABLE FOR IMMEDIATE DELIVERY

Obtainable in the following colors: red, green, blue-black, huron (green blend) Laurentian (red blend).

These shingles present a permanent interlocking appearance and are ideally suitable for farm homes and other farm buildings.

Directions for applying shingles supplied upon request.

SPECIALLY PRICED,
Per square (100 sq. ft.)

\$4.00

HEAVY ASPHALT SHINGLES

(FACTORY SECONDS-210 LB. PER 100 SQ. FT.)

AVAILABLE FOR IMMEDIATE DELIVERY

Available in the following colors: red, green, blue-black, huron (green blend) Laurentian red (blend).

These shingles are ideally suited for new homes and for re-roofing of older farm homes and other farm buildings.

SPECIALLY PRICED.
Per square (100 sq. ft.)

\$6.50

BUILDING PAPER

FIRST QUALITY **MERCHANDISE**



PLAIN BUILDING PAPER

- For inside use. Rolls . NO. R6 -32 inches wide, outside use. Roll square feet, weighs 15 lbs. 400 square feet, Greyish color.

Roll

TARRED BUILDING PAPER

is 32 inches wide, weighs about 24 lbs. Roll

PLASTIC PITCH BASE

CEMENT

An elastic and adhesive waterproofing cement for cementing concealed bituminous flashings, water cutoffs, etc., and for general roof repair where a pitch base product is desired.

21/2 lb. tins. 35c per tin

50-lb. tin, \$4.95per tin

ASPHALT LIQUID ROOFING

• R9-Waterproofs and preserves felt, metal and prepared roofings, will not crack. 1 gallon covers about 150 sq. ft.

5-Gal. \$4.45

COAL TAR

A pure refined product of uniform quality for roofs, tanks, fences, etc.

R32-1 gallon 70c can __ R33-5 gallon can • R34-45 gallon (Drum included)

Harrow Drawbar Eyebolt

For all harrow drawbars with 3 link chains. Standard thickness, 38"
5" and 6", each

TARRED

FELT PAPER

 R10—A high grade tarred felt made specially for Bonded Roofs, membrane waterproofing and sheathing. 432 square foot per roll. Width 32 ins. Approx. weight, 65 lbs. Price, per roll \$2.

KRAFT 32" TARRED PAPER

• R11—400 square feet per roll. Width 32 \$4.25 ins. Approx. weight 70 lbs. Price per roll

PENETRATING OIL

One pint imperial measure (clear chemically correct) Norwesco Penetrant and Rust Solvent for loosening rusty parts, bolts, nuts, screws, etc. 35C Price, per pint ...

FUEL ZENITH

Extra special price, each _

GRINDER

Made of highest quality fine grained alloy metal. Extra hard, will grind MORE bushels before replacement. Equip your grain grinder with dependable, sharpedged, perfect grinding burrs.

10-inch.

Set of two _ \$2.50 12-inch.

"Doplex" Glass Substitute

Ultra - Violet Rays, especially recommended for Poultry Houses, Greenframe Sash-Sun Porches. Easy to install, economical proof against wind and weather. 36 ins. wide. Price. per sq. yard

PINERY TRACE

THESE ARE ABSOLUTELY THE STRONGEST TRACES MADE!

GUARANTEED SELECTED NO. 1 OAK LEATHER

Made of Extra Heavy Steerhide Leather, Triple Sewn, Reinforced with Copper Rivets. 5 Feet Long with Pinery Hooks and Dees at Head End.

NO. C115 - 2 inches x 3-ply. Extra special. per pair

NO. C116-21/2 inches x 3-ply. Extra special, per pair

NO. C117 - 21/4 inches x 3-ply. Extra special, per pair ___

NO. C118 — 3 inches x 3-ply. Extra special, per pair ____

Super Values of Men's Work and Dress Pants And Children's Overalls



Men's Work Pants

28X—Men's work pants, band top. This is a garment designed for working men. It will take you through months of hard service. Cut in roomy sizes from 8-oz. black denim. Double stitched seams throughout. Reinforced with bar-tacks at all points of strain. Five pockets riveted on metal buttons. Even sizes, 32 to 44 in. waist, 30 to 34 in. inside leg. Per pair prepaid

MEN'S Dress Pants

2318—Smart men's dress pants, made from a popular Sanforized Shrunk moleskin panting. This pant can be used for dress or every day wear. You can be assured that this garment will give you months of practical service. Colors: brown, blue, and grey. Even sizes only, 32 to 44 in. waist, 30 to 33 in. inside leg.

Specify size and color when ordering. Per pair prepaid

MEN'S PANTS

416—Men's pants, made of 8-oz. mole panting. This cloth has been popular in men's pants for many years. You can't go wrong in selecting this garment for early Spring and Summer in pleasant grey stripe pattern. Necessary pockets reinforced at points of strain and many other features which make this garment an exceptional value. Sizes 32 to 44 in. waist, 29 to 33 in. leg lengths. Per pair prepaid

MEN'S COTTONADE PANTS

5234—Men's pants, made of sturdy cottonade. An ideal garment for every day or work wear. Will stand a good deal of strain. Necessary pockets reinforced at points of strain. Sizes 32 to 44 in. waist, leg lengths 29 to 33 in. \$2.25



Children's OVERALLS



68—Mothers can appreciate this attractive children's garment. Made of sturdy sanforized shrunk drill in popular "Skippy" style Two button adjustable suspenders and two roomy pockets. Strongly built for the rough usage youngsters give this type of garment. Sanforized shrunk to withstand the extra washing needed

to keep youngsters looking clean and tidy. Colors: red, navy, blue, royal blue and brown. Sizes 2 to 8 years.

Sizes 2 to 8 years.

Per pair prepaid \$1.10

759Y—A cozy garment for early Spring. In medium weight doeskin napped for warmth and yet sturdy to withstand months of hard wear. "Skippy" design with adjustable suspenders, two front pockets, etc. Will stand all the rough usage youngsters will give it. You will want your youngsters to have at least one of these garments. Colors: brown, blue and green. Sizes 2 to 8 years.

2 to 8 years.
Per pair prepaid \$1.25

POULTRY FOODS

At Saving Prices! . . . We Absolutely Guarantee Satisfaction

Poultry Concentrate Balance

Rich in Protein Mineral and vitamins. Special, per 100-lb.

Poultry Charcoal 100-1b. Bag ...

100-lb. Bag \$2.50

Laying Mash 100-lb. Bag \$2.30 \$1.25 50-lb. Bag _

Meat Meal

50% Protein—For poultry \$3.00 100-lb. bag

Poultry Bone Meal OR GRANULATED BONE

State Which Desired.

Poultry Sratch Feed

Per 100-1b. \$1.70

Oyster Shells

Hen or Chick Size, Special, 80-lb. bag

"DOUBLE PURPOSE" Poultry Grits

Special! Per 100-lb.

Victoria Poultry Balancer Super

Mixed with your own grains makes a top quality laying mash. No extra oil required, price, cwt.

Victoria Chick Starter

(GREENMELK)

Feed your chicks the best, price, cwt.

\$3.55

100-lb, bag Thriftee Chick Starter

A well-balanced starter, price, cwt.

Victoria Baby Chick Scratch

Fine cut grains in right proportion, \$2,55

> Victoria Turkey Starter (GREENMELK)

Starts the poults right, price, cwt.

\$3.65

Victoria Hatching Mash

Fortified with the essential vitamins, \$3.25 price, cwt.

Victoria Dairy Balancer Balanced rations increase milk production.

\$2.80

Victoria All Mineral Supplement for Cattle Stimulate growth and production by using this mineral. Price, cwt.

\$4.45

STOCK =00

41% Protein Concentrate

Per 100-lb. bag \$2.90

50% Digest. Tankage Per 100-lb. Bag \$3.35

50% Meat Meal Per 100-lb. Bag \$3.35

Calf Meal

Per 100-lb. Bag \$3.25 Per 50-lb. Bag \$1.75 Per 25-Ib. Bag \$1.40 Bone Meal

Per 100-lb. Bag \$3.35

Victoria Pig Starter (GREENMELK)

Per 100-lb. \$2.60

Alfalfa Meal Per 100-lb. Bag \$2.35

Hog Growing Feed Per 100-lb. Bag _____\$1.95

Hog Finisher

Per 100-lb. Bag \$1.75

Breeding Sow Feed Per 100-lb. Bag \$1.95

Hog Concentrate Per 100-lb. Bag _____\$3.20

Oil Cake Meal Per 100-lb. Bag \$2.55

VITAMIN

This is a highly concentrate poultry Oil. One gallon of this oil equals two gallons of the former grade. \$2.85 Per gallon

25c extra for container

CATTLE SALT

BLOCKS- 50 LBS. Iodized 74¢ Mineralized \$1.00

BAGS — 50 LBS. Coarse, jute bag 75¢ Fine, duck bag __ Fine, jute bag 65¢

Old Hickory, smoked, 10 lbs. 98¢

In 100-lb. jute bags, per bag _____\$1.65

CARBON

A high-grade efficient disinfectant. Carbonol combines all the good properties of carbolic acid and yet has none of its bad features. Carbonol is a disinfectant, antiseptic, cleanser and insecticide. It is most economical, as it comes in a concentrated form and should be diluted with from twenty to eighty times its volume.

1-Gallon Cans

5-Gallon

ORDER FORM

NORTH-WEST MAIL ORDER CO.

Harness, Oils, Greases, Paints, Building Paper, Hardware, Dry Goods 87 KING ST., WINNIPEG, MAN.

If Freight Prepaid Add Sufficient. Is There An Agent at Your Station? Amount Enclosed Date

SHIP TO

P.0.

STATION R.R.

No.	Ouantity	GOODS	Price Amount
	•		
1			
	7		
X			
	3		1
			1
	1		
Mon	ey Enclosed F	Money Enclosed For Merchandise	
Mon	Money Enclosed For Freight	or Freight	

Signature

NOTE-No C.O.D. Orders Accepted Send remittance with order

ORDER FORM

CUT ON THIS LINE

NORTH-WEST MAIL ORDER CO.

Harness, Oils, Greases, Paints, Building Paper, Hardware, Dry Goods 87 KING ST., WINNIPEG, MAN.

Amount Enclosed If Freight Prepaid Add Sufficient. Is There An Agent at Your Station?

SHIP

Date

R.R. STATION

Money Enclosed For Freight	Cat.	Quantity	GOODS	Price	Amount
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Freight					
Money Enclosed For Merchandise	0				
Money Enclosed For Merchandise					
Money Enclosed For Merchandise			No. of the second second		
Money Enclosed For Merchandise					
Money Enclosed For Freight	Mone	y Enclosed For	Merchandise		
	Mone	v Enclosed For	Freight		

Signature

NOTE-No C.O.D Orders Accepted Send remittance with order

TOTAL

BUY WITH CONFIDENCE!



AT PRICES THAT CANNOT BE DUPLICATED!

WE ARE MANUFACTURING

HARNESS

AND

Harness Parts

AND WHEN YOU BUY FROM US YOU WILL POSITIVELY SAVE MONEY!

ALL ORDERS WILL RECEIVE PROMPT AND CAREFUL ATTENTION.

Mail Money Order With Order

We Guarantee

The workmanship and quality of our goods.

You are assured of satisfaction when you buy from us.

North-West Mail-Order co

87 KING STREET

WINNIPEG, MANITOBA